

Index

Note that you can download the PDF file for this book from www.hentzenwerke.com (see the section “How to download files” at the beginning of this book). The PDF is completely searchable and will provide additional keyword lookup capabilities not practical in an index.

A

- aApplication, 49–50, 91
- abstract classes, 33
- abstract factory, 37
- aBuilderForm, 265–267
- ACLASS(), 145–146
- Activate event, 173
- ACTIVEFORM command, 66–67
- ActiveX control, 253
- ADD operation, 96
- AddError(), 146–147
- AddMethods(), 261
- AddNewChild(), 191
- AddNewParent(), 191
- AddProperty(), 261
- AddProps(), 261
- AddToFormsCollection(), 181–182
- AddObject(), 255
- aForm, 172–176
- AfterLabelEdit event, 71
- aLanguages(), 254
- Album Maintenance Screen, 190
- Albums table, 190
- Alias(), 117
- alias, of cursor, 118
- AllowNav(), 201–202
- aMembers(), 236
- APP files, 288
- App.Datadbc, 46, 156–158
- Append(), 100
- APPEND BLANK command, 119, 120
- APPEND command, 120
- application database, creating, 274
- application development time, 12
- application directory, 267
- application environment, 47, 89
- application files, 44–46
- application folders, configuring, 43
- application-specific procedures, 45
- application startup, loading toolbars, 214–215, 217–218
- Application Variable Maintenance form, 158
- application variable server, 28
- Apply(), 185

- App.Prc.prg, 45
- AppVars module, 294
- AppVarsID, 156
- ASelObj(), 259
- aSession, 93
- Assembled In App approach, 77
- ASSERTS, 10
- auto-incrementing field, 119
- AutoCenter property, 171
- AutoSize property, 62
- AutoStyle class, 37
- AVCXClasses(), 275
- B**
- BackColor property, 260
- back-end database, 149
- BackStyle property, 62, 68
- base classes, 57–58, 253–256, 258, 259
- base form, 172–176
- BeforeOpenTables(), 142, 143, 148–150
- BINDEVENT command, 36
- bldDefault, 265
- BlindEvent(), 205
- BorderWidth property, 68
- Box control, 203–205
- bubbling, 238–239
- buffering, 111–112, 124–125
- BuildDE(), 205–206
- builders
 - advantages, 10, 253
 - builder forms, 267–268
 - creating, 262–268
- Builders.dbf, 262
- business logic, 141, 169
- business objects. *See also* data entry forms; MyDataEnvironment
 - building on the fly, 205–206
 - definition, 137
 - external representation, 138–140
 - internal representation, 137–138
 - remote data, 148–150
 - retrieving information from SysCodes table, 159–160
 - sample application, 296–297

- SysCodes, 160
three-tier architecture, 138
whole view, 139–140
- C**
- call stack, capturing, 237
Calvin, 44
CamelCase, 21–22
Cancel(), 185
CanHandleError(), 240
capturing
 call stack, 237
 display status, 238
 lines of code, 235–236
 object properties, 236–237
CASE statement, 51, 240, 248
centralized error handling, 227
class-based approach, 84–86
class-based forms, 181
class definitions, 22
class libraries
 base classes, 57–58
 combo boxes, 69–70
 command buttons, 63–67
 compared to frameworks, 4
 containers, 68–69
 controls, 72–73
 definition, 57
 features, 59–62
 forms, 75
 grids, 73–74
 loading into memory, 277–278
 page frame, 73
 running applications and, 288
 shapes, 71–72
 text boxes, 67–68
 treeview control, 70–71
Class Designer, 74, 257
classes
 abstract, 33
 collection, 99–108
 composite, 32
 creating, 274–276
 custom, 39
 flexibility, 31
 as form properties, 22
 prefixes, 20
 setting, 277–278
 on tap, 279–280
 values for, 294
ClassList array, 259
ClearErrorState(), 260
Click(), 228
Close(), 175, 219
CloseAllForms(), 52–53, 199
CodeBook Style approach, 76–77
collections
 classes, 99–108
 elements, 95–96
 in MyFrame, 98–108
 types of, 96–97
 using, 97–98
combo boxes, 69–70
command buttons, 63–67
CommandButton class, 74
CommandGroup class, 72–73
comments, coding, 17–18
common environment classes, 88
composite classes, 32
computer network capacities, 129
conditional formatting, 260–261
Config.fpw, 46
configurable frameworks, 11–12
ConfigureDisplay(), 64
confirmation messages, 193
constants, predefined, 32, 46
containers, transparent, 68–69
containership, 228–229
Contains(), 101–102, 105
ControlSource property, 69
conventions, framework development, 16–22
COPY FILE command, 273
Create Application Database checkbox, 274
CREATE CLASS command, 253, 274–275
CREATE PROJECT command, 278
CreateObject(), 173, 181, 212, 254–255
CREATEOBJECT command, 55
CreateProject(), 277
CreateToolbars(), 218
cursor
 alias, 118
 finding, 148
Cursor class, 111
CursorAdapter
 advantages, 111
 capabilities, 132–133
 naming, 315
 retrieving data, 149
CursorFill(), 132, 133–134
CursorGetProp(), 124–125
CursorSetProp(), 112, 125, 131, 132
custom classes, 39

D

data access page, 316
 data binding, 71
 data-driven (dynamic) solutions, 32
 data entry forms. *See also* business objects; forms
 capabilities, 187
 controls, 192, 194
 data entry methods, 195–200
 data entry status, 191
 data entry styles, 190–191
 form methods, 193–194
 navigating, 200–205
 prompting users, 193
 styles of data entry, 187–191
 validation errors, 207–208
 data environment class, 87–88
 data files, 273
 data objects, 127–129. *See also* records; tables
 data sessions, 81–82. *See also* environments
 data source, identifying, 314
 Data Source Name (DSN), 130
 data structure, sample application, 287
 database design, 111
 DataEnvironment Builder, 132, 149
 DataSession property, 82, 143–144
 DataSource property, 132, 317
 DEClass property, 296
 DEClassLibrary property, 296
 defaults
 builder class, 265
 error handler, 224, 225
 error messages, 226
 labels, 294–295
 overwriting, 56
 security code values, 245
 delegation (bridge), 37–38
 Delete()
 business objects, 140
 data entry forms, 195–196
 records, 121
 toolbars, 219
 DELETE command, 121
 DELETED(), 121
 design environment, running applications, 288
 design requirements, 14
 design review, 303–304, 311–312
 design-time flexibility, 32
 Destroy(), 86, 119, 221
 development environment, 89–90
 DevProc.prg, 45

dialog boxes, 184–185
 Direct approach, 75
 Direct Subclass approach, 76
 display status, capturing, 238
 DISPLAY STATUS command, 238
 DO FORM command, 173
 DO WHILE loop, 96, 124–125, 251
 docking status, toolbars, 163
 DoClose(), 174–176, 184, 198
 DODEFAULT(), 240
 DoNew(), 147–148
 DoSave(), 144–145
 Dr. Dave, 44
 DSN (Data Source Name), 130

E

Edit Always style, 187–188, 201–202
 Edit First style, 187–188, 201–202
 Edit Mode property, 220
 editing
 forms, 197
 records, 187–190
 Enabled property, 248
 entity maintenance, 189–190
 environment classes, 86–87, 91–93
 environments, 81, 82–83
 Error(), 224
 error handling
 capabilities, 223
 centralized, 227
 close to their source, 227
 containership, 228–229
 default error messages, 226
 developing an error handler, 229–230
 during development, 229
 error sequence, 225
 framework data model, 29
 methods, 230–233
 ObjectError(), 238–240
 for objects, 224
 procedural errors, 224, 229
 recording error information, 233–235
 strategies, 226–227
 trapping errors, 227, 240
 TRY/CATCH and THROW, 225
 viewing error log, 240–241
 error messages, in MyFrame, 141
 ErrorLog.dbf, 234
 ErrorNo property, 225
 event binding, 36
 EXCEPTION class, 254
 exception object, 225

EXE files, 288

ExecScript(), 260

F

factory method, 36–37

False value

 from Init(), 52

 reversing, 51

Field Caption property, 111

field mapping, 294–295

fields

 prefixes, 21

 updating, 317

FileToStr(), 277

FILTER TO command, 127

FINALLY block, 225

FitToScreen(), 178

flexibility

 abstract factory, 37

 avoiding hard coding, 31–32

 changing object composition, 32–33

 classes, 31

 considerations, 11–12

 delegation (bridge), 37–38

 factory method, 36–37

 mediator and event binding, 35–36

 patterns, 33, 34

 proxy, 38–39

 styles, 34–35

 wrappers, 39

folder structure

 arranging project folders, 42

 configuring application folders, 43

 requirements, 41

FontBold property, 62

FOR EACH loop, 96

ForceDataFlash(), 219

Form Controls toolbar, 211

Form Designer. *See also* business objects

 controls, 111

 SysCodes, 160

forms. *See also* data entry forms

 advantages, 169

 base form, 172–176

 builder forms, 267–268

 closing, 199–200

 controls, 245, 301

 dialog boxes, 184–185

 editing, 197

 hierarchy, 75

 location, 177–178

 locking, 193–194

methods, 193–194

modal forms, 182–185

navigating, 200–205

preferences, 179–181

private data session with, 81–82

resizing, 176, 178–179

sample application, 294–296, 298

setting security, 247–248

splash screens, 169–172

switching between, 211

synchronizing, 218–220

types of, 292

VCX form support, 181

forms collection, 28

FOR...NEXT loop, 96

FoxPro designers, 13

FoxPro error dialog, 226

FramePems table, 259

FramePems.dbf, 256–257

FrameProc.prg, 45

framework architecture

 data model, 29

 functional view, 27–29

 strategies, 23

 tiers, 23–27

framework classes

 Assembled In App, 77

 CodeBook Style, 76–77

 Direct, 75

 Direct Subclass, 76

 Meta classes, 79–80

 Rebuild, 78

framework development. *See also* classes; methods; properties; Visual FoxPro

application database, 274

application files, 44–46

definition, 6

folder structure

 application folders, 42

 framework folders, 43–44

 new projects, 271–273

 project folders, 42

 requirements, 41

main program, 276–278

project manager, 44

project planning

 conventions, 16–22

 implementation plan, 9, 13–16

 project file, 278

 steering document, 9–13

sample application

 compiling and running, 303

- creating, 289–292
- customer business object, 296–297
- customer form, 294–296, 298
- customer table, 292–294
- design review, 303–304
- one-to-many form, 305–312
- process, 287
- remote data, 313–319
- SampleApp, 288–289
- security, 298–303
- source code considerations, 288
- validation rules, 297–298
- Task Pane, 280–284
- tools
 - adding and removing properties, 261
 - adding common behavior, 255–256
 - base classes, 253–255, 259
 - changing parent, 268–269
 - conditional formatting, 260–261
 - creating builders, 262–268
 - method code, 261–262
 - Timer class, 259–260
 - `zVisualBaseClassConfigurator.prg`, 256–259
- framework procedures, 45
- framework services
 - `AppVars.dbf`, 156–158
 - availability, 165–167
 - characteristics, 153
 - controls, 176–178
 - instantiating, 165–167
 - message services, 153–156
 - object locations, 162–164
 - system codes, 158–162
- frameworks
 - advantages, 3–4
 - compared to class libraries, 4
 - development considerations, 5–8
 - elements, 4–5
- Fulton, David, 44
- functions
 - generic, 44–45
 - prefixes, 21
- G**
 - `GenProc.prg`, 45, 107, 118
 - `GetAppVars()`, 157
 - `GetCurrentItem()`, 102
 - `GetCurrentRecord()`, 127–129
 - `GetCursor()`, 148
 - `GetErrorMessage()`, 147
 - `GetFile()`, 275
- H**
 - `GetFldState()`, 123–124
 - `GetForm()`, 264, 265
 - `GetInstanceCount()`, 213
 - `GetInstancesCount()`, 106, 107
 - `GetLoc()`, 163, 164
 - `GetLongDesc()`, 159–160
 - `GetMessenger()`, 235–236
 - `GetNextModified()`, 123, 124–125
 - `GetObjectInfo()`, 236
 - `GetObjectList()`, 107–108
 - `GetObjectNames()`, 163
 - `GetPrimaryKey()`, 117, 118
 - `GetReturnValues()`, 159–160
 - `GetShortDesc()`, 159–160
 - `Go()`
 - navigation tasks, 202–203, 204
 - primary key value, 200
 - retrieving data, 128–129, 133–134
 - GO BOTTOM command, 200
 - GO command, 200
 - goal statement, steering document, 9–10
 - `GoBottom()`, 201, 203, 204–205
 - `GoFirst()`, 103
 - `GoNext()`, 103, 201, 203
 - `GoPrevious()`, 201, 203
 - `GoTop()`, 201, 203
 - grid classes, 74
 - grid column, 228
 - grids, 73–74
 - Griver, Yair Alan, 76
 - groups, adding, 299–300, 302
- I**
 - IF statement, 133–134
 - IN clause, 121
 - include files, with relative paths, 46
 - inheritance hierarchy, 161
 - `Init()`
 - with aBuilderForm, 265
 - calling `LoadApp()`, 51

- calling `SetLocations()`, 220
calling `Unbind()`, 69
data entry methods, 195–196
Environment class hierarchy, 86
Meta Data approach, 78
with `MySplash`, 170
with `SetSecurity()`, 246
- INSERT** command, 120
- INSERT INTO** command, 119
- instantiating
framework services, 165–167
toolbars, 217
- `IsAuthorized()`, 244
- `IsBaseClass()`, 258, 259
- `IsDone()`, 103
- `IsOKToClose()`, 175–176
- `IsOKToModify()`, 260
- `IsTag()`, 74
- `IsType()`, 145–146
- `IsValid()`, 124–125, 146
- J**
- `JUSTPATH()`, 53
- `JustTable()`, 118
- K**
- `KEYBOARD` command, 262
- `KEYBOARD '{F8}'`, 231
- `KeyFieldList` property, 132
- L**
- labels, 60–62, 76
- Last In First Out (LIFO), 97
- `lblTitle` property, 170
- LIFO (Last In First Out), 97
- `LineDesc` field, 137–138
- lines of code, capturing, 235–236
- List Box control, 203–205, 296
- `Load()`, 173, 174, 177–178
- `LoadApp()`, 50–51, 171
- `LoadComponents()`, 217–218
- loading
files, 47–48
tables, 142–144
toolbars, 214–215, 217
- `LoadProxy()`, 38
- Local Area Network (LAN), 129
- `LOCATE` command, 126–127, 134, 275
- `LocateObject()`, 163, 164
- location manager, 28
- locking forms, 193–194
- LockScreen property, 173
- `LogError()`, 234
- logical .NOT. operator “!”’, 51
- login screen, Security Manager, 250–252
- M**
- `Main_Frame.prg`, 53–54, 91, 277
- `Main.prg`, 54–56, 274
- `MakeConnection()`, 150
- `MakeDecimals` property, 87
- `MakeSession` command, 143
- `Make<<Setting>>` properties, 88
- `MakeToolbar()`, 213
- Mapping tab, 294–295
- mediator, 35–36
- `MemberClass` property, 72
- `MemberClassLibrary` property, 74
- `Message()`, 235
- `MessageBox()`, 46, 153, 227
- messaging service, 28
- Meta classes approach, 79–80
- methods
for cursor classes, 114–115
data entry methods, 195–200
error handling, 230–233
forms, 193–194
prefixes, 21–22
writing method code, 261–262
- middle-tier objects, 141
- `MKDIR` command, 273
- modal forms, 182–185
- `ModiClasses()`, 259
- `MODIFY CLASS` command, 257, 259
- modular construction, 13
- `MousePointer` property, 194
- multi-user environments, 162
- multiple data sources, 12
- multiple records, editing, 189
- `MyApp.h`, 46
- `MyAppVars`, 206
- `MyBuilder`, 263
- `MyBuilderForms`, 267
- `MyCopyClass.scx`, 275
- `MyCursor.Go()`, 134
- `MyCursor`
buffer mode, 125–126
builder, 267
capabilities, 113–114
checking for unsaved changes, 123–124
design considerations, 115
filters, 127
methods, 114–115

- naming toolbars, 214–215
 properties, 114
 records
 adding, 119–120
 deleting, 120–121
 navigating, 126–127
 saving, 122
 reverting pending edits (undo), 122
 tables, 115–119
 updating remote data, 130–131
 validating data, 124–125, 147
MyCursorAdapter
 capabilities, 133–134
 validating data, 147
MyCursorAdapter.Go(), 134
MyCursor.GetCurrentRecord(), 127–128
MyCursorGo(), 127–128
MyDataEnvironment. *See also* data entry forms
 capabilities, 141–142
 class definitions, 142
 editing forms, 197
 goals, 140–141
 preferences, 165
 saving data, 144
 validation errors, 146–147
MyDataFrm, 93, 191–192, 198, 202–204
MyErrorHandler, 229–230
MyErrorLog form, 240–241
MyErrorMsg_Dialog, 233
MyFrame, collections, 98–108
MyFrame.vcx, 46
MyLocations, 163
MyMessages, 154–156
MyMessagesValid(), 155
MyModalFrm, 183–184
MyNavList, 203–204
MyNavList.Init(), 205
MyPreferences, 165
MyProjectInfo.scx, 271, 273
MySecurityManager, 248–250
MySplash.scx, 169–172
MyStack, 176
MySysCodesCbo, 160
MyToolbars, 212, 216–217
- N**
- naming conventions, 18–22
 National Institute of Standards and Technology (NIST), 96–97
Navigate(), 204
 Navigate event, 204
 navigation cursor, 317
 nested TRY/CATCH blocks, 225
New(), 140, 195–197
NewClass, 269
NewProject form, 280
NODEFAULT command, 90
 nodes, highlighting, 71
 normalization process, 60
NOWAIT clause, 259
- O**
- object hierarchy, navigating, 107–108
 object properties, capturing, 236–237
ObjectError(), 238–240
 objects, error handling, 224
 ODBC-compliant data, 130
 ODBC connection string, 289
 ODBC.INI, 130
 OLE control, treeview, 70
OLEBOUNDCONTROL class, 254–255
OLECONTROL, 253
ON ERROR command, 224, 229
ON SEEK command, 119
ON SHUTDOWN command, 55
OnAfterSave(), 122, 146, 310–311
OnBeforeSave(), 122, 144
OnChangesVerified(), 196–197
OnCheckMachine(), 51
OnClose(), 175–176
OnConfirmNew(), 196–197
OnDelete(), 36
 one-to-many entry form, 190, 305–312
OnLaunchApp(), 56
OnLoadAppMenu(), 51
OnLoadSecurity(), 252
OnNavigationFailed(), 202–203
OnNavigationSucceeded(), 202–203
OnNew(), 147–148
OnReadProperties(), 266, 268
OnSetControlFocus(), 194
OnSetDefaultValues, 120
OnSetDevEnvironment(), 92
OnSetForeignKeys(), 307
OnShowSplash(), 171
OnShutDown(), 51, 288
OnWriteProperties(), 268
Open(), 116–117, 118, 134
OPEN DATABASE command, 48
OpenTables(), 125, 142
 “Operator/operand type mismatch” error, 235
 optimistic buffering, 112
OptionButton class, 74
OptionGroup class, 72–73

OTHERWISE clause, 224
overriding methods, 48
overwriting defaults, 56

P

page frame, 73
PageFrame class, 72–73
Pane Customization dialog, 281
parent, changing, 268–269
passwords, Security Manager, 250
PEM Adder tool, 256, 257
PemAdder class, 258
PEMStatus(), 236
PEMSTATUS, zero (0) value, 229
pending edits, reverting, 122
performance issues, 91
pessimistic locking (buffering), 112
Pop(), 103, 106
POP operations, 96
Populate(), 160, 161–162
portability, 13
predefined constants, 32, 46
preferences manager, 28
preferences, saving, 164–165, 180
prefixes, 19, 20
Prefs.dbf, 165
Primary(), 117
primary key tag, 118
primary keys, 119, 156, 159–160
PRINT WHEN clause, 250
PRINT WHEN command, 244
“Printer Not Ready” error, 231
PrivateDatasession property, 143–144
procedural errors, 224, 229
procedures
 generic, 44–45
 specific, 45–46
Program(), 237
Project Details form, 289–290
project manager, 44
prompting users, 193
properties
 adding and removing, 261
 CamelCase convention, 21
 hard coding, 32
 saving, 164–165
 security, 246–250
 setting, 114
proxy class, 38–39
public property, 62
Push(), 102
PUSH operations, 96

Q

queries, executing, 130–131
QueryUnload(), 175
QueryUnload event, 175
queues, 96–97
quitting FoxPro, 288

R

ReadMethod(), 256
ReadProperties(), 266
Rebuild approach, 78
record-based navigation, 202
record pointer, 190
records. *See also* data entry forms; data objects; tables
 adding, 119–120, 147–148, 196–197
 buffered, 111–112, 124–125
 deleting, 120–121
 editing, 187–190
 navigating, 126–127
 saving, 122
 writing data object contents to, 128
Refresh(), 202–203
refreshing
 security code, 249–250
 toolbars, 214, 220
relative paths, with include files, 46
Release(), 175
ReleaseSplash(), 171
ReleaseToolbar(), 219
remote data
 accessing with SQL pass through, 130–134
 concepts, 129–130
 connecting to, 130, 148–150
 sample application, 313–319, 318–319
 updating, 130–131
Remove(), 100–101
RemoveFromFormsCollection(), 181–182
RemoveProperty(), 261
REPLACE statements, 234
reports manager, 29
Requery(), 133–134
requirements list, 14
Resize(), 100, 178–179
resizing forms, 176, 178–179
RestoreEnvironment(), 92
restoring environments, 84, 90
RETRY command, 231
reusable frameworks, 11
run time, error handling, 233

S

SampleForm class, 37
 Save(), 18, 140, 144, 195–197
 SaveAsClass(), 253, 255
 SaveLoc(), 163
 saving
 environment variables, 84
 environments, 90
 preferences, 164–165, 180
 property values, 164–165
 SCATTER NAME command, 127–128
 scope, prefixes, 19
 _Screen.ActiveForm property, 173–174
 SCREEN.ADDOBJECT(), 94
 Search Form control, 203–205
 security
 applying, 246–250
 form controls, 247–248
 non-object-oriented controls, 250
 sample application, 298–303
 strategies, 243
 Security class, 246–247
 Security Manager, logging in, 250–252
 security module, 28, 244–246
 SEEK command, 119, 126–127, 134
 SelectCmd property, 132, 133–134
 SendUpdates property, 131
 session class, 93–94
 SET ASSERTS ON, 82–83
 set-based navigation, 202
 SET CLASSLIB command, 276–277
 SET commands, 83–84, 88, 91
 SET DATABASE EVENTS ON command, 48
 SET DELETED command, 119, 120–121, 143
 SET DEVELOPMENT ON command, 288
 SET FILTER TO command, 127
 SET PATH statement, 55
 SET PROCEDURE TO command, 48
 SET SAFETY command, 87
 SET STEP ON command, 231
 SET TALK command, 87, 143
 SetBufferMode(), 125
 SetCurrentRecord(), 127–129
 SetEditMode(), 191–192
 SetEnv(), 90
 SetErrorState(), 260
 SetFilter(), 127, 133–134
 SetFocus(), 65, 194, 219
 SetLocation(), 177–178
 SetOrder(), 133–134
 SetPrefs(), 216–217

SetPrimaryKey(), 118
 SetSecurity(), 244, 247–248, 250
 SetStatus(), 170
 shapes, 71–72
 ShortDesc field, 159–160
 Show(), 182
 ShowDevTools(), 62
 ShowMessage(), 155–156
 ShowTips property, 179–180
 shutdown sequence, 46–48, 199
 single point accountability, 11
 SKIP clause, 244
 SKIP command, 200
 SKIP FOR clause, 250
 soft confirmation, 193
 source code, 273, 288
 splash screens, 169–172
 SQL pass through, 130–134
 SQL server, security, 243
 SQLConnect(), 132
 SQLEXEC(), 130
 SQLStringConnect(), 130, 132, 148–150
 stacks, 96–97
 startup sequence, 46–48
 steering document, 9–13
 STEP INTO command, 231
 Str2Expr(), 157
 StrExp(), 69
 StrExtract(), 218
 string values, in permanent data stores, 32
 StrToFile(), 238
 StrTran(), 266
 Style object, 35
 styles, 34–35
 surrogate primary keys, 112–113, 119
 swapping objects, 32
 synchronizing tools and toolbars, 218–220
 SysCodes, 132
 system codes, 29, 158–162
 System Codes Management screen, 203–204, 309

T

TabIndex, 194
 Table Designer, 111, 292
 table names, 116
 TABLEREVERT command, 122
 tables. *See also* records
 adding manually, 296
 Albums table, 190
 closing, 119
 creating, 273

FramePems, 259
loading, 142–144
opening, 115–118
prefixes, 21
returning records from, 127–128
sample application, 292–294
security module, 245–246
SysCodes, 158–159
updating, 316
Tables property, 132
TableUpdate(), 112, 121–122
task list, 14
template method, 34
test plan, 14
text boxes, 67–68
Textbox classes, Meta Data approach, 78–79
three-tier architecture, 138
THROW error handling, 225
tiers, 23–27
Timer(), 259–260
Timer class, 259–260
Timer1 property, 171
Toolbar class, 220–221
Toolbar Manager
 application shutdown, 217–218
 creating, 212–213, 217
 instantiating, 217
 loading toolbars, 214–215
toolbars
 adding, 215
 capabilities, 211
 collection, 29, 212
 data entry and, 219
 docking status, 163
 expected behaviors, 211–212
 individual controls, 221
 loading, 214–215, 217
 refreshing, 214, 220
 releasing, 213–214
 synchronizing, 218–220
 user selection, 215–217
Toolbars table, 214
ToolboxEngine.prg, 279
TOP command, 200
transparent containers, 68–69
TrapError.prg, 224
trapping errors, 227, 240
treeview control, 70–71, 203–205
True value, reversing, 51
TRY/CATCH error handling, 225

U
Unbind(), 69
Undo(), 140, 195–196, 219
Unload(), 183, 184
UpdatableFieldList property, 131
Update(), 140
UpdateNameList code, 131
UpdateNameList property, 132
UpdateTableBuffer(), 18, 19
USE command, 115–116
users, adding, 299

V
Validate(), 124–125
validating data, 124–125, 155, 297–298
Validation Error form, 208
validation errors, 146–147, 207–208
variables, prefixes, 19, 21
VCX file, 258
VCX form support, 181
verifying changes, 197
VFP Projects collection, 95
vfps.application handler, 281
Visible property, 182, 248
Visual FoxPro. *See also* framework
 development
 aApplication, 49–50, 91
 buffered records, 111–112
 commands for configuring application
 environment, 46
 creating main programs, 53–56
 definition, 1
 examples, 1–3
 field mapping, 294–295
 FoxPro error dialog, 226
 quitting, 288
 redirecting FoxPro's builder, 262–265
 startup and shutdown sequence, 46–48

W
WindowState property, 184
WindowType property, 183
wizards, 10, 318. *See also* remote data
wrappers, flexibility, 39
WriteMethod(), 256

Z
zero (0) value, PEMSTATUS, 229
zNewProject program, 281, 289–290
zReadMe(), 265, 266
zVisualBaseClassConfigurator.prg, 256–259