

Index

Note that you can download the PDF file for this book from www.hentzenwerke.com (see the section “How to download files” at the beginning of this book). The PDF is completely searchable and will provide additional keyword lookup capabilities not practical in an index.

Special Characters

- @ character, referencing formulas, 175
- " (double quotes), delimiter, 332
- // (double slash), comments syntax, 171
- ? character, in parameter fields, 175

A

- About Crystal Reports option, Help menu, 24
- Access connection, 213
- ACT!, direct access database drivers, 403
- Activate Event method, 308
- ActivateView method, 293
- ActiveViewIndex property, 286
- ActiveX Control, 189
 - Embeddable Crystal 9 Reports Designer Control, 303–304, 306, 310–312
 - Form Control toolbar, 283–284
 - SmartViewerActiveX.ASP file, 371–372 subclass, 285
- ActiveX Data Objects (ADO) database driver, 408
- ActiveX Designer Run Time Library, 193, 345–346
- ActiveXPluginViewer.ASP file, 365
- Add method
 - for collections, 209
 - CrosstabGroup object, 268
 - with Database object, 211
 - definition, 195
 - Field object, 275
 - FieldElement object, 253
 - ObjectSummaryFieldDefinitions collection, 279
 - RunningTotalFieldDefinitions, 231
 - Sections collection, 249
 - SQL Expression field, 234
 - SubreportLinks collection, 282
 - SummaryFieldDefinition object, 228–229 syntax, 208
- Add New Item dialog box, 394
- Add to Report option, in Formula Editor, Custom Function toolbar, 168
- Add to Repository option, in Formula Editor, Custom Function toolbar, 168
- AddADOCCommand method, 206, 218–219
- AddBlobFieldObject method, 265–266
- AddCrossTabObject method, 267
- AddCurrentRange method, 240
- AddCurrentValue method, 240
- AddDefaultValue method, 240
- AddFieldObject method, 259
- AddGraphObject method, 269
- AddGroup method, 226
- Additional Functions dialog box, 182
- Additional Help Files option, Help menu, 24
- AddLineObject method, 250–251, 257
- AddOLEDBSource method, 206, 207
- AddPictureObject method, 263
- AddReportVariable method, 356
- AddSpecialVarFieldObject method, 263
- AddStoredProcedure method, 208, 209
- AddSubreport method, 280
- AddSummaryFieldObject method, 265
- AddTextObject method, 251
- AddUnboundFieldFieldObject method, 279
- ADO (ActiveX Data Objects)
 - ADO command, 218–219
 - ADO connection, 394–395
 - ADO Connection object, 207
 - ADO .NET data sets, 385
 - ADO record sets, 205
 - ADO recordset, 279
 - database driver, 408
- Adobe Acrobat (PDF), 318–319
- Advanced Edition, 2, 384
- Advanced Search Wizard, 377

- AfterFormatPage event, 344–345
- alert conditions, 141, 212
- AlertInstances property, 242
- AlertMessage property, 243
- AlertObject object, 242
- Alerts function, 182
- Alerts option, Report menu, 23
- Align Center option, Formatting toolbar, 26
- Align Left option, Formatting toolbar, 26
- Align option, Format menu, 22
- Align Right option, Formatting toolbar, 26
- AmPmType property
 - FieldElementObject object, 254
 - FieldObject object, 259
- AmString property
 - FieldElementObject object, 254
 - FieldObject object, 259
- Application object, 195–199, 217–218
- application options, 38–46
- Application property, Report object, 204
- ApplicationFileName property, 315
- ApplicationName property, Report object, 204
- applications, exporting reports to, 338
- Area object
 - methods, 248
 - properties, 246, 247–248
- Areas, 245–251
- Areas collection, 246
- Areas property, Report object, 204
- arithmetic operators, 175, 177
- Arrange Icons option, Window menu, 24
- array data types, 173
- array operators, 176
- Arrays function, 182
- ASP
 - ASP .NET Web Service, 396–397
 - ASP pages, 364
 - ASP support files, 365
 - ASP.NET Web Application, 389
 - ASP.NET Web Service project, 396
- Automation Saver, 189
- Automation servers, 379
- AutoRangeDataAxis property,
 - GraphObject object, 269
- AutoRangeDate2Axis property,

- GraphObject object, 269
- AutoRangeSeriesAxis property,
 - GraphObject object, 269
- AutoSetUnboundFieldSource method, 205
- Available Data Sources list, 151–152, 395

B

- BackColor property
 - BlobFieldObject object, 266
 - CrosstabGroup object, 269
 - CrosstabObject object, 267
 - FieldObject object, 259
 - GraphObject object, 270
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - Section object, 250
 - SubReportObject object, 281
 - TextObject object, 252
- BarSize property, GraphObject object, 270
- Base File Name field, 326
- BeforeFormatPage event, 345
- Bitcon32.zip file, 420
- blank reports, 309, 354–355
- BlobFieldObject object, 265–266
- Bold option, Formatting toolbar, 26
- Boolean data type, 172
- Boolean operators, 176, 177–178
- BooleanOutputType property
 - FieldElementObject object, 254
 - FieldObject object, 259
- Border tab, Format Editor, 33
- BorderColor property
 - BlobFieldObject object, 266
 - CrosstabObject object, 267
 - FieldObject object, 259
 - GraphObject object, 270
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - SubReportObject object, 281
 - TextObject object, 252
- Borders and Colors option, Format menu, 22
- Bottom property
 - BoxObject object, 258
 - LineObject object, 257
- BottomCropping property

- BlobFieldObject object, 266
 - OLEObject object, 277
 - BottomLineStyle property
 - BlobFieldObject object, 266
 - CrosstabObject object, 267
 - FieldObject object, 259
 - GraphObject object, 270
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - SubReportObject object, 281
 - TextObject object, 252
 - BottomMargin property, 203
 - BottomRightSection property,
 - BoxObject object, 258
 - Box option, Insert menu, 21
 - BoxObject object, 257–258
 - brackets, for element numbers in arrays, 173
 - Browse Data option
 - Database menu, 23
 - Editor toolbar, 170
 - Browse Field Date option, Edit menu, 20
 - Btrieve Workstation Engine, 403–404
- C**
- C# Managed Code, 385
 - calculations, 163, 228, 265, 352.
 - See also* formulas
 - CancelPrinting method, 202
 - CanClose method, 197
 - CanDrillDown property, 295
 - CanGrow property
 - FieldObject object, 259
 - SubReportObject object, 281
 - TextObject object, 252
 - CanPerformGroupingOnServer property,
 - Report object, 204, 222
 - Cascade option, Window menu, 24
 - Cascading Style Sheets (CSS), 359–360, 380
 - case sensitivity, database servers, 207
 - CaseInsensitiveSQLData property
 - Designer Control, 311
 - Report object, 204, 222
 - Change Line Height option, Format menu, 22
 - Character parameters, Area object, 246
 - Character Separated Values dialog box, 332
 - Character Spacing Exactly option,
 - Format Editor, 34
 - CharacterSpacing property
 - FieldElementObject object, 254
 - FieldObject object, 259
 - TextObject object, 252
 - CharFieldDelimiter property, 315
 - CharStringDelimiter property, 315
 - Chart option, Insert menu, 21
 - Chart tab, 18
 - Chart.RPT sample report, 365
 - charts, converting to graphs, 319
 - Chartservice.asmx, 397
 - Check option, Editor toolbar, 169
 - CheckDifferencesMethod property, 207, 221
 - ChildProperties property, 212
 - Cleanup.ASP file, 365
 - Clear All Bookmarks option,
 - Editor toolbar, 170
 - ClearCurrentValueAndRange method, 240
 - Client DB, 403
 - Clipper, direct access database driver, 403
 - Close All option, Window menu, 24
 - Close Current View option, View menu, 21
 - Close option
 - File menu, 19
 - Format Editor, 167
 - CloseAtPageBreak property
 - BlobFieldObject object, 266
 - BoxObject object, 258
 - CrosstabObject object, 267
 - GraphObject object, 270
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - SubReportObject object, 281
 - TextObject object, 252
 - CloseView method, 293
 - collections
 - Areas, 245–251
 - CrosstabGroups, 268
 - DatabaseFieldDefinitions collection, 214–215
 - DatabaseTables, 209
 - DataTables, 208
 - FieldDefinitions, 275–276
 - FieldElements, 253

- Fields, 295–296
- FormulaFieldDefinitions, 236–237
- from GraphObject, 279
- GroupNameFieldDefinitions, 226
- ObjectSummaryFieldDefinitions, 279
- Pages collection, 370–371
- ParameterFieldDefinitions, 237
- ParameterValueInfos, 209
- properties, 194–195
- ReportAlerts, 241–242
- ReportObjects, 250–251
- RunningTotalFieldDefinitions, 231
- Sections, 249
- SortFields, 225
- SQLExpressionFieldDefinitions, 234–235
- SubreportLinks, 282
- SummaryFieldDefinitions, 228
- TableLinks, 215–216
- Color property, FieldElementObject object, 254
- ColumnGrandTotalColor property, CrosstabObject object, 267
- ColumnGroups property
 - CrosstabGroup object, 268
 - CrosstabObject object, 267
- COM components. *See also* events
 - creating, 183, 343–344
 - data source, 408
 - events, 343
 - functions, 182
 - report variables, 355–356
 - separate image files, 354–355
- COM libraries, 193, 194
- comma separated values (CSV), 332
- Command objects, 207
- Comment/Uncomment Selected Text option, Editor toolbar, 171
- comments syntax, 171, 381
- Common tab, Format Editor, 32, 160–161
- comparison operators, 175, 176, 177
- condition formulas, 248
- Condition property, CrosstabGroup object, 269
- ConditionFields property
 - condition formulas, 248
 - GraphObject object, 270, 275
 - ConditionFormula property
 - alert conditions, 248
 - Area object, 247
 - BlobFieldObject object, 266
 - BoxObject object, 258
 - CrosstabObject object, 267
 - FieldElementObject object, 254
 - FieldObject object, 259
 - GraphObject object, 270
 - LineObject object, 257
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - ReportAlerts object, 242
 - Section object, 250
 - TextObject object, 252
- ConnectBufferString property, 210
- connection property information, 213
- Connection String property, 212
- ConnectionProperties object, 211–213
- ConnectionProperties property, 210
- Context Help option, Help menu, 24
- control structures, 175, 176, 178
- conversion operators, 175
- ConvertDateTimeType property
 - Designer Control, 311
 - Report object, 204
- ConvertNullFieldToDefault property
 - Designer Control, 311
 - Report object, 204, 222
- CopiesToPrint property, 247
- Copy option
 - Edit menu, 20
 - Standard toolbar, 25
- CornerElipseHeight property, BoxObject object, 258
- Count property
 - ConnectionProperties object, 211
 - definition, 194
 - FieldElement object, 253
 - Fields collection, 296
 - FormulaFieldDefinition object, 236
 - ObjectSummaryFieldDefinitions collection, 279
 - ParameterValueInfo object, 209
- counter, internal, 196

- CPRE (Crystal Reports Print Engine), 382–384
- Craxdrt.dll, 307–308
- Create Alerts dialog box, 139–141
- CREATE CLASS command, 284–285
- Create Parameter Field dialog box, 133–139, 137
- CreateObject method, 383
- CreatePageGenerator method, 367
- CreateSubreportPageGenerator method, 368
- Cross-Tab option, Insert menu, 21
- CrosstabGroup object, 268–269
- CrosstabGroups collection, 268
- CrosstabObject, 267–269, 279
- CrosstabObject property,
 - GraphObject object, 270
- Crosstabs, 267–269
- CRUFLDemo sample DLL, 343–344
- Crystal class library, 290
- Crystal Data Object (CDO), 206, 408
- Crystal Decisions
 - legacy integration, 364
 - licensing, 414–415
 - Products option, 3
 - On the Web option,, Help menu, 24
- Crystal Report Engine API, 189
- Crystal Report Gallery, Experts, 17
- Crystal Reports. *See also* desktop; RAS; RDC; Report Experts
 - Advanced Edition, 384, 415
 - capabilities, 1
 - Developer Edition, 196, 415
 - distribution, 401–414
 - documentation, 190, 337, 417–418
 - export destination drivers, 409
 - export format drivers, 409
 - features in version 9, 13–14
 - formatting capabilities, 31–36
 - hot fixes, 419
 - installing, 2–13
 - internal COM servers, 355
 - licensing, 309–310, 415–416
 - opening and closing, 195–199
 - Report sections, 30–31
 - resizing and moving objects, 36–38
 - service packs, 419–420
 - support forums, 421
 - twips, 203
 - utilities, 420
 - version number, getting, 198, 199
 - versions, 2, 13–14, 189, 384
 - web site, 418–421
- Crystal Reports Help option, Help menu, 24
- Crystal Reports .NET
 - connecting to ADO .NET, 394–395
 - designer, 392–394
 - Web-based applications, 388–392
 - Windows-based applications, 385–388
 - XML web services, 396–398
- Crystal Reports Print Engine (CRPE), 382–384
- Crystal Reports.NET, 189
- Crystal repository, 14
- CrystalDecisions namespaces, 398–399
- Crystaldevhelp.chm file, 417
- CrystalReportViewer control, 397
- CrystalReportViewerI object, 389–390
- CrystalRuntime Application, 307–308
- CSSClass property
 - BlobFieldObject object, 266
 - BoxObject object, 258
 - CrosstabObject object, 267
 - FieldObject object, 259
 - GraphObject object, 270
 - LineObject object, 257
 - MapObject object, 276
 - OLEObject object, 277
 - Section object, 250
 - TextObject object, 252
- CSV (comma separated values), 332
- Currency data type, 172
- Currency option, Formatting toolbar, 26
- CurrencyPositionType property
 - FieldElementObject object, 254
 - FieldObject object, 260
- CurrencySymbol property
 - FieldElementObject object, 254
 - FieldObject object, 260
- CurrencySymbolType property,
 - FieldElementObject object, 254
- Current-E-mail Field Value options, 358

- Current Website Field Value option, 358
- CurrentFieldValue function, 184
- Custom Function Supplying Logic tree, 186
- Custom Function toolbar, 168
- custom functions
 - COM components, 343–344
 - with Crystal Reports 9, 14
 - Formula Workshop, 183–185
- custom templates, 14
- Cut option
 - Edit menu, 20
 - Standard toolbar, 25
- D**
- data access database drivers, 408
- Data Access Objects (DAO), 213, 408
- Data Connectivity support forum, 421
- Data Context field, Hyperlink information
 - section, Format Editor dialog box, 361, 362
- data context formulas, 362
- Data Interchange Format (DIF), 13
- Data page, Standard Report Creation Wizard, 151–152
- Data Source Defaults tab, 41–42
- Data Source property, 212
- Data tab, 17
- data types, 171–173
- Data2AxisDivisionNumber property, GraphObject object, 270
- Data2AxisGridline property, GraphObject object, 270
- Data2AxisNumberFormat property, GraphObject object, 270
- DataAxisDivisionMethod property, GraphObject object, 270
- DataAxisGridline property, GraphObject object, 270
- DataAxisNumberFormat property, GraphObject object, 271
- database access drivers, 403–413
- Database Expert option
 - connecting data types, 395
 - Database menu, 23
 - Expert Tools toolbar, 27
 - Extreme database, 146
- database fields, 175, 184, 395
- Database Name property, 213
- Database object, 206–207, 217–218
- Database Password property, 213
- Database Path property, 213
- Database property
 - ConnectionProperties object, 212
 - Report object, 204
- database servers, case sensitivity, 207
- database support, 14, 144–145
- Database tab, 39–40
- Database Table object, 207, 209–210, 221
- Database Type property, 212, 213
- DatabaseField property, 215
- DatabaseFieldDefinition object, 215
- DatabaseFieldDefinitions collection, 214–215
- DatabaseFieldName property, 215
- DatabaseTable object, 214–215
- DatabaseType property, 210
- DataBindings dialog box, 389–390
- DataLabelFont property, GraphObject object, 271
- DataPoint property, GraphObject object, 271
- Dataset data source, 408
- DataTable object, 217
- DataTables collection, 208, 209
- DataTitleFont property, GraphObject object, 271
- DataType property, GraphObject object, 271
- DataValueNumberFormat property, GraphObject object, 271
- Date and Time function, 182
- Date data type, 172
- Date Ranges function, 182
- DateCalendarType property
 - FieldElementObject object, 254
 - FieldObject object, 260
- DateEraType property
 - FieldElementObject object, 254
 - FieldObject object, 260
- DateFirstSeparator property
 - FieldElementObject object, 254
 - FieldObject object, 260
- DateOrder property
 - FieldElementObject object, 254
 - FieldObject object, 260

- DatePrefixSeparator property
 - FieldElementObject object, 254
 - FieldObject object, 260
- DateSecondSeparator property
 - FieldElementObject object, 254
 - FieldObject object, 260
- DateSuffixSeparator property
 - FieldElementObject object, 255
 - FieldObject object, 260
- DateTime data type, 172
- DateWindowsDefaultType property
 - FieldElementObject object, 255
 - FieldObject object, 260
- DayType property
 - FieldElementObject object, 255
 - FieldObject object, 260
- DB2
 - direct access database driver, 404
 - ODBC access database drivers, 405–407
- dbase, direct access database driver, 404
- DCOM support, 403
- debugging reports, 388, 391–392
- DecimalPlaces property
 - FieldElementObject object, 255
 - FieldObject object, 260
- DecimalSymbol property
 - FieldElementObject object, 255
 - FieldObject object, 260
- Decrease Decimals option,
 - Formatting toolbar, 26
- Decrease Font Size option,
 - Formatting toolbar, 26
- DefaultAttribute function, 184
- DefaultMessage property, 242
- DefaultVersionNumber property, 383
- DefaultWidth property, 247
- Define Description dialog box, 138
- Delete method
 - for collections, 209
 - CrosstabGroup object, 269–269
 - with Database object, 211
 - definition, 195
 - Field object, 276
 - FieldElement object, 253
 - ObjectSummaryFieldDefinitions
 - collection, 279
 - RunningTotalFieldDefinitions, 231
 - Sections collection, 249
 - SQL Expression field, 234
 - SubreportLinks collection, 282
 - SummaryFieldDefinition object, 229
 - for table links, 216
- Delete option, Edit menu, 20
- Delete option, in Formula Editor,
 - General toolbar, 167
- DeleteAll method, 211
- DeleteGroup method, 226, 227
- DeleteNthDefaultValue method, 241
- dependency files, RDC, 402
- Depends20.zip file, 420
- Derivative Software License Agreement, 403
- Description property, 212
- DescriptiveName property, 210
- Design option, View menu, 20
- Design tab, 28–29
- Designer Control toolbar, 311, 312
- Designer Design and Runtime Library, 190
- Designer Runtime Library, 190
- desktop. *See also* menus; toolbars
 - Design tab, 28–29
 - Preview tab, 29–30
 - status bar, 28
- DestinationDLLName property, 315
- DestinationFields property, 216
- DestinationTable property, 216
- DestinationType property, 315
- DetailAreaCursor property, 287
- DetailAreaFieldCursor property, 287
- DetailHeight property, 247
- DetailObject method, 251
- Details Area object, 246
- Details parameter, Area object, 246
- DetailWidth property, 247
- DetailWidth property, 247
- Details Area, 250–251
- Developer Edition, 2, 196
- Developer Zone web site, 418
- Development support forum, 421
- Devguide.pdf file, 417
- DHTML viewer, 358, 360
- DHTML Viewer Only options, 358
- DIF (Data Interchange Format), 13

- direct access database drivers
 - locations, 403–405
 - ODBC, 405–407
 - Directory Name field, 326
 - DisallowEditing property, 238
 - DiscardOtherGroups property, 247
 - discrete values, 135, 136–137
 - DiscreteOrRangeKind property, 238
 - DiskFileName property, 315
 - DisplayBackgroundEdge property, 286
 - DisplayBorder property, 286
 - DisplayFieldView property, 311
 - DisplayGrid property, 311
 - DisplayGroupTree property, 286
 - DisplayHiddenSections property, 311
 - DisplayName property, 215
 - DisplayProgressDialog property, 200
 - DisplayReverseSign property
 - FieldElementObject object, 255
 - FieldObject object, 260
 - DisplayRulers property, 311
 - DisplayTabs property, 286
 - DisplayToolbar property, 286, 311
 - Distributable Report Designer, 190
 - DLL, code example, 343–344
 - DLL files
 - ActiveX Data Objects (ADO), 408
 - charts, 411
 - Crystal Data Object (CDO), 408
 - Data Access Objects (DAO), 408
 - direct access database drivers, 403–405
 - Field Definition Files (.TTX), 408
 - HTML exports, 410
 - Informix, 406
 - map files, 411
 - ODBC access database drivers, 405–407
 - paged exports, 410
 - RDC (Report Designer Component), 402
 - Remote Data Objects (RDO), 408
 - SQL expressions, 412
 - Sybase Adaptive Server, 407
 - User Function Libraries (UFLs), 412–413
 - XML data sources, 407
 - DllName property, 210
 - DO FORM command, 309–310
 - Do/Loop Until statement, 181
 - Do/Loop While construct, 181
 - Do/Until/Loop command, 181
 - Do/While loop, 180
 - Document Properties function, 182, 184
 - Domino/Notes, 403, 404, 409
 - double quotes ("), delimiter, 332
 - double slash (/), comments syntax, 171
 - DownloadFinished event, 299
 - DownloadStarted event, 299
 - drill events, 297
 - DrillOnGraph method, 368–369
 - DrillOnMap method, 369
 - DrillOnSubreport method, 369
 - DriverName property, 200
 - DSN property, 212
 - Dsx32.zip file, 420
- ## E
- e-mail options, Web reporting, 358
 - edit mask characters, 139
 - Edit menu, 20
 - Edit Report object option, Edit menu, 20
 - EditMask property, 238
 - Editor toolbar, Formula Editor, 169–171
 - Editors tab, 41
 - efresh option, Standard toolbar, 25
 - elements, of arrays, 173
 - Embeddable Crystal 9 Reports Designer
 - Control, 303–304, 306, 310–312
 - embedded fields, 144–145
 - embedded hyperlinks, 357–358
 - EnableAnimationCtrl property, 286
 - EnableAsynchQuery property, 204, 222
 - EnableAutoScaleData2Axis property,
 - GraphObject object, 271
 - EnableAutoScaleDataAxis property,
 - GraphObject object, 271
 - EnableAutoScaleSeriesAxis property,
 - GraphObject object, 271
 - EnableCloseButton property, 286
 - EnableDrillDown property, 286
 - EnableExclusiveGroup property, 238
 - EnableExportButton property, 286
 - EnableForEachRecord property, GraphObject object, 271
 - EnableGeneratingDataForHiddenObject

- property, 204
- EnableGroupTree property, 286
- EnableHelp property, 311, 312
- EnableHelpButton property, 286
- EnableHierarchicalGroupSorting property, 247
- EnableKeepColumnsTogether property, CrosstabObject object, 267
- EnableKeepRowLabels property, CrosstabObject object, 267
- EnableMultipleValues property, 238
- EnableNavigationControls property, 286
- EnableNullValues property, 238
- EnableOnDemand property, SubReportObject object, 281
- EnableParameterPrompting property, 204
- EnablePerformQueriesAsynchronously property, 204, 222
- EnablePopupMenu property, 286
- EnablePrintButton property, 286
- EnableProgressControl property, 286
- EnableRangeLimit property, 238
- EnableRefreshButton property, 286
- EnableRepeatRow property, CrosstabObject object, 267
- EnableSearchControl property, 286
- EnableSearchExpertButton property, 286
- EnableSelectDistinctRecords property, 204
- EnableShowCellMargins property, CrosstabObject object, 267
- EnableShowDescriptionOnly property, 238
- EnableShowGrid property, CrosstabObject object, 267
- EnableShowLegend property, GraphObject object, 271
- EnableSnapToGrid property, 311
- EnableSortBasedOnDesc property, 238
- EnableStopButton property, 286
- EnableSummarizeValues property, GraphObject object, 271
- EnableSuppressEmptyColumns property, CrosstabObject object, 267
- EnableSuppressLabel property, CrosstabGroup object, 269
- EnableSuppressSubtotal property, CrosstabGroup object, 269
- EnableTightHorizontal property, FieldObject object, 260
- EnableToolBar property, 286
- EnableZoomControl property, 286
- EndSection property, LineObject object, 257
- Enter Parameter Values dialog box, 134, 136
- ePortfolio Lite sample application, 374, 379–380
- ERP/CRM support forum, 421
- Error dialog box, 333
- ETF data, 367
- EvaluateCondition property, 232
- EvaluateConditionField property, 232
- EvaluateConditionFormula property, 232
- Evaluation Time function, 182, 184
- event handler code, 353
- EventInfo object, 295
- events. *See also* objects; RDC
 - COM components, 343, 345–352
 - drill, 297
 - entering code, 397–398
 - event method code, 294
 - implementing interfaces, 350
 - miscellaneous, 299–300
 - properties, 295
 - Report events, 344–345
 - Section events, 352–354
 - ToolBar objects, 297–299
- Excel connection, 213
- Excel Format Options dialog box, 320–321, 322
- ExcelAreaGroupNumber property, 315
- ExcelAreaType property, 315
- ExcelConstantColumnWidth property, 315
- ExcelConvertDateToString property, 315
- ExcelExportAllPages property, 315
- ExcelFirstPageNumber property, 315
- ExcelLastPageNumber property, 315
- ExcelPageBreaks property, 315
- ExcelTabHasColumnHeadings property, 315
- ExcelUseWorksheetFunctions property, 315
- Exchange, 403, 404, 409
- ExchangeDestinationType property, 315
- ExchangeFolderPath property, 315
- ExchangePassword property, 315

- ExchangePathHasColumnHeadings, 316
 - ExchangeProfile property, 315
 - Exit option, File menu, 20
 - Expand/Collapse node, Formula Editor, 167
 - Expert Tools toolbar, 27–28
 - export format drivers, 409–410
 - Export method, 369
 - Export option
 - File menu, 19
 - Standard toolbar, 25
 - Export To Directory dialog box, 328
 - exporting reports
 - export destination drivers, 409
 - formats
 - Adobe Acrobat (PDF), 318–319
 - to applications, 338
 - available, 313–314
 - to disk, 314
 - HTML, 325–327
 - MAPI, 338–339
 - Microsoft Excel, 320–322
 - Microsoft Word, 319–320
 - ODBC, 339–341
 - RTF (Rich File Format), 339–341
 - separated values, 332–334
 - XML, 328–332
 - programmatic exports, 314–317
 - report definition, 337
 - View Control, 313
 - Exporting support forum, 421
 - ExportOptions object, 314–315, 317
 - ExportOptions property, 204
 - ExtendToBottomOfSection property
 - BoxObject object, 258
 - LineObject object, 257
 - Extract Custom Function, 185
 - Extreme database, 146
- F**
- Field Definition File, 207, 408
 - Field Definition File property, 213
 - field elements, 253–256
 - Field Explorer toolbar
 - Database Fields, 395
 - Formula Fields, 164–165, 186, 344
 - Parameter Fields, 133–139
 - Standard toolbar, 25
 - View menu, 21
 - Field Heading option, Insert menu, 21
 - Field object, 296
 - Field property
 - BlobFieldObject object, 266
 - CrosstabGroup object, 269
 - FieldObject object, 260
 - SortField object, 226
 - SummaryFieldDefinition object, 230
 - Field Tree, 166, 170, 174
 - field types, 174–175
 - FieldDefinition property, 255
 - FieldDefinitions collection, 275–276
 - FieldDefinitions Only connection, 213
 - FieldElement object, 253, 254
 - FieldElementObject object, 254–256
 - FieldElements collection, 253
 - FieldElements property, 252
 - FieldMapping event, 345
 - FieldMappingType property, 204, 222
 - FieldObject object, 258–263, 275, 280–282
 - Fields collection, 295–296
 - Fields method, 214–215
 - Fields property, 210
 - Fields tab, 18, 43–44, 152–153
 - FieldType property, 296
 - FieldView, Designer Control, 312
 - file based data, connecting to, 220–222
 - File Download dialog box, 378
 - File menu, 19–20
 - File System, direct access database
 - driver, 404
 - FileDSN property, 212
 - FillColor property, BoxObject object, 258
 - financial functions, 182
 - Find option
 - Edit menu, 20
 - Standard toolbar, 25
 - Find or Replace option, Editor toolbar, 170
 - FindText method, 369
 - FirstLineIndent property
 - FieldElementObject object, 255
 - FieldObject object, 260
 - TextObject object, 252
 - Font Color option, Formatting toolbar, 26
 - Font Face option, Formatting toolbar, 26

- Font option, Format menu, 22
- Font property
 - FieldElementObject object, 255
 - FieldObject object, 260
 - TextObject object, 252
- Font Size option, Formatting toolbar, 26
- Font tab, Format Editor, 34
- Fonts tab, 44–45
- FooterArea property, 229
- Footnote property, GraphObject object, 271
- FootnoteFont property, GraphObject object, 271
- For/Do loop, 179–180
- ForCrossTab property, 229
- FORM command, 308–309
- Form Control toolbar
 - ActiveX Control, 283–284
 - View Classes, 289–290
- Form Designer, creating forms, 289–291
- Format Editor
 - Border tab, 33
 - Common tab, 32, 160–161
 - displaying, 32–32
 - Font tab, 34
 - Hyperlink tab, 36, 363
 - Paragraph tab, 35, 144–145
- Format Editor dialog box, 248, 358, 359, 361
- Format Field option, Format menu, 22
- Format menu, 22–23
- Format option, Expert Tools toolbar, 28
- FormatDLLName property, 316
- FormattedPicture property, OLEObject object, 277
- Formatting Active mode, 353
- formatting formulas, 163–165
- Formatting Idle mode, 352
- Formatting Inactive mode, 353
- Formatting toolbar, 26
- FormattingInfo object, 352
- FormatType property, 316
- Forms Controls toolbar, 306
- Formula dialog box, Extract Custom Function, 185
- Formula Editor
 - Custom Function toolbar, 168
 - Editor toolbar, 169–171
 - entering formulas, 165–167
 - fields, 174–175
 - functions, 182–185
 - General toolbar, 167
 - opening, 187
 - operators, 175–181
 - variables, 174
 - Workshop toolbar, 167
 - Workshop Tree, 168–169
- Formula Editor, Workshop Tree, 166, 167
- Formula Expert menu, 186
- Formula Extractor, 184, 185–187
- Formula Fields, 164–165, 186, 344
- Formula Workshop option
 - alert conditions, 141
 - converting formulas to functions, 185–187
 - Expert Tools toolbar, 28
 - Report menu, 14, 23
 - User Function Libraries (UFLs), 344
- Formula Workshop option, Report menu, 164
- FormulaFieldDefinition object, 236–237
- FormulaFieldDefinitions collection, 236–237
- FormulaFieldName property, 237
- FormulaFields property, 204
- formulas. *See also* COM components
 - comments syntax, 171
 - creating, 184–185
 - data context, 362
 - data types, 171–173
 - editing, 168–169
 - formatting, 163–165
 - formula languages supported, 171
 - general functions, 167
 - manipulating data, 236–237
 - types of, 163
 - Workshop toolbar, 167
- Formulas support forum, 421
- FormulaSyntax property, 204
- Fox Pro. *See* Visual Fox Pro
- FramePage.ASP file, 365
- Free-Form Placement option, 38
- Function Arguments, 186
- Function Tree, 166, 170, 183
- functions
 - converting formulas to, 185–187

types of, 182–185

G

General Inquiries support forum, 421
General toolbar, Formula Editor, 167
GetCurrentPageNumber method, 293
GetItemByName method, 231, 235, 238
GetLicenseStatus method, 199
GetLinkSource method, 278
GetNextRows method, 206
GetNthCurrentRange method, 241
GetNthCurrentValue method, 241
GetNthDefaultValue method, 241
GetPageNumberForGroup method, 369
GetReportVariableValue method, 356
GetVersion method, 198–199
GetViewName method, 293
GetViewPath method, 293
global settings, 161
global variables, 174, 184
Go To tab option, Edit menu, 20
Graph object, 275
GraphAreaCursor property, 287
GraphAxisGridLine property, 272
GraphColor property, 271
GraphCursor property, 287
GraphDirection property, 271
GraphObject, 279
GraphObject object, 269–275
Graphs and Maps support forum, 421
graphs, converting charts to, 319
GraphType property, 272
Grid option, View menu, 21
Gridlines, resizing and moving
objects, 37–38
GridRowColumnValue, 184
GridSize property, 311
Group Expert option
Expert Tools toolbar, 27
Report menu, 23
Group Footer parameter, Area object, 246
Group Header parameter, Area object, 246
Group option, Insert menu, 21
Group Sort Expert option, 23, 27
Group Sorting tab, 18
Group Tree option, View menu, 21
GroupAreaCursor property, 287

GroupAreaFieldCursor property, 287
GroupCondition property, 247
GroupConditionField property, 247
GroupIndent property, 247
grouping data, 226–228
Grouping tab, 18, 153–154
GroupLabelFont property, GraphObject
object, 272
GroupNameConditionFormula property, 227
GroupNameFieldDefinition object, 227
GroupNameFieldDefinitions collection, 226
GroupNameFieldName property, 227
GroupNameFields property, 204
GroupNumber property, 227, 238, 247
groups, adding and deleting, 245
GroupSelectionFormula property, 204
GroupSortFields property, 204
GroupTitleFont property, GraphObject
object, 272
GroupTitles property, GraphObject
object, 272
Guidelines option, View menu, 21

H

HasDropShadow property
BlobFieldObject object, 266
BoxObject object, 258
CrosstabObject object, 267
FieldObject object, 260
GraphObject object, 272
MapObject object, 276
OLAPGridObject object, 278
OLEObject object, 277
SubReportObject object, 281
TextObject object, 252
HasSavedData property, 204, 222
HeaderArea property, 229
Height property
BlobFieldObject object, 266
CrosstabObject object, 267
FieldObject object, 260
GraphObject object, 272
MapObject object, 276
OLAPGridObject object, 278
OLEObject object, 277
Section object, 250
SubReportObject object, 281

- TextObject object, 252
 - help file, 311
 - Help menu, 24
 - Help option, Standard toolbar, 25
 - Hide (Drill-Down OK) option, 31
 - Hide/Show Workshop Tree option, in
 - Formula Editor, Workshop toolbar, 167
 - HideForDrillDown property, 247
 - Hierarchical Grouping Options option,
 - Report menu, 24
 - hierarchical reports, 146–147
 - HierarchicalSummaryType property,
 - 229, 232
 - Highlighting Expert option, Format menu, 22
 - Highlighting option, Expert Tools toolbar, 28
 - HmStart.ASP file, 365
 - HorAlignment property
 - FieldObject object, 261
 - TextObject object, 252
 - HorizontalGap property, 247
 - hot fixes, 419
 - HourMinuteSeparator property
 - FieldElementObject object, 255
 - FieldObject object, 261
 - HourType property, FieldObject object, 261
 - HTML
 - format, exporting reports, 325–327, 409, 410
 - HTML Interactive Viewer, 374, 376, 377
 - HTML Page Viewer, 374, 376
 - tags, embedded, 145
 - HTML Viewer, 365
 - HTMLEnableSeparatedPages property, 316
 - HTMLFileName property, 316
 - HTMLHasPageNavigator property, 316
 - Hyperlink information section, Format Editor
 - dialog box, 361
 - Hyperlink option, Format menu, 22
 - Hyperlink tab, Format Editor, 36, 363
 - hyperlinks, embedded, 357–358
- I**
- If/Then/Else statements, 178–179
 - IIS Manager, Virtual Directory, 365
 - image files, 354–355
 - ImageOptions property, 367
 - ImportSubreport method, 280
 - in-place chart editing, 14
 - Increase Decimals option, Formatting
 - toolbar, 26
 - Increase Font Size option, Formatting
 - toolbar, 26
 - Index property
 - EventInfo object, 295
 - FieldElement object, 253
 - FormulaFieldDefinition object, 236
 - ObjectSummaryFieldDefinitions
 - collection, 279
 - IndexUsed property, 216
 - Informix, 403, 404, 406
 - Init method, 307
 - Initial Report Part Settings, Report Options
 - dialog box, 363
 - Insert Box option, Insert Tools toolbar, 27
 - Insert Chart option, Insert Tools toolbar, 27
 - Insert Cross-tab option, Insert Tools
 - toolbar, 27
 - Insert Group option, Insert Tools toolbar, 27
 - Insert Hyperlink option, Expert Tools
 - toolbar, 28
 - Insert Line option, Insert Tools toolbar, 27
 - Insert Map option, Insert Tools toolbar, 27
 - Insert menu, 21–22
 - Insert Object dialog box, 285
 - Insert OLAP Grid option, Insert Tools
 - toolbar, 27
 - Insert Picture option, Insert Tools toolbar, 27
 - Insert Subreport option, Insert Tools toolbar,
 - 27, 149–151, 158, 159–160
 - Insert Summary option, Insert Tools
 - toolbar, 27
 - Insert Text Object option, Insert Tools
 - toolbar, 27
 - Insert Tools toolbar, 27
 - Installation, RDC, 401–402
 - installing Crystal Reports, 2–13
 - Install.pdf file, 417
 - InstanceldField, 247
 - instances, tracking, 196
 - Integrated Security property, 212
 - Intellisense Manager, 191, 192–193
 - interfaces, implementing, 350

- internal counter, 196
- Internet Information Server, 365, 405
- IsBusy property, 286
- IsCurrentValueSet property, 238
- IsDefaultValueSet property, 238
- IsEnabled property, 242
- IsFootnoteByDefault property, GraphObject object, 273
- IsGroupsTitleByDefault property, GraphObject object, 273
- IsRawData property, 296
- IsSeriesTitleByDefault property, GraphObject object, 273
- IsXAxisTitleByDefault property, GraphObject object, 273
- IsYAxisTitleByDefault property, GraphObject object, 273
- IsZAxisByDefault property, GraphObject object, 273
- Italics option, Formatting toolbar, 26
- Item property
 - Areas collection, 246
 - ConnectionProperties object, 211
 - definition, 194
 - Fields collection, 296
 - ParameterValueInfo object, 209
 - Sections collection, 249

J

- Java bean classes, data source, 408
- Java Beans controls, 189
- JavaPluginViewer.ASP file, 365
- JoinType property, 216
- Justify option, Formatting toolbar, 26

K

- Keep Together option, 31
- KeepGroupTogether property, 247
- KeepTogether property
 - Area object, 247
 - BlobFieldObject object, 266
 - CrosstabObject object, 267
 - FieldObject object, 261
 - GraphObject object, 273
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277

- Section object, 250
- SubReportObject object, 281
- TextObject object, 252
- keyboard, resizing and moving objects, 37
- KeywordsInReport property, 204
- Kind property
 - Area object, 247
 - BlobFieldObject object, 266
 - CrosstabObject object, 267
 - DatabaseFieldDefinition object, 215
 - FieldObject object, 261
 - FormulaFieldDefinition object, 237
 - GraphObject object, 273
 - GroupNameFieldDefinition object, 227
 - LineObject object, 257
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - ParameterFieldDefinition object, 238
 - Report object, 205
 - RunningTotalFieldDefinitions object, 232
 - SpecialVarObject object, 264
 - SQLExpressionFieldDefinition object, 235
 - SubReportObject object, 281
 - SummaryFieldDefinition object, 229
 - TextObject object, 252

L

- LastGetFormulaSyntax property, 205
- LeadingDayPosition property
 - FieldElementObject object, 255
 - FieldObject object, 261
- LeadingDaySeparator property,
 - FieldElementObject object, 255
- LeadingDayType property,
 - FieldElementObject object, 255
- Left property
 - BlobFieldObject object, 266
 - BoxObject object, 258
 - CrosstabObject object, 267
 - FieldElementObject object, 255
 - FieldObject object, 261
 - LineObject object, 257
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277

- SubReportObject object, 281
 - TextObject object, 252
 - LeftCropping property
 - BlobFieldObject object, 266
 - OLEObject object, 277
 - LeftIndent property
 - FieldElementObject object, 255
 - FieldObject object, 261
 - TextObject object, 252
 - LeftLineStyle property
 - BlobFieldObject object, 266
 - CrosstabObject object, 267
 - FieldObject object, 261
 - GraphObject object, 273
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - SubReportObject object, 281
 - TextObject object, 252
 - LeftMargin property, 203
 - Legacy.chm file, 417
 - LegendFont property, GraphObject object, 273
 - LegendLayout property, GraphObject object, 273
 - LegendPosition property, GraphObject object, 273
 - Licahse.chm file, 417
 - License Agreement, 5
 - License Manager, 415–416
 - license status, 199
 - License.pdf file, 417
 - License.rtf file, 418
 - licensing, 414–416
 - Line Height option, Format menu, 22
 - Line option, Insert menu, 21
 - LineColor property
 - BoxObject object, 258
 - LineObject object, 257
 - LineObject object, 257
 - LineSpacing property
 - FieldElementObject object, 255
 - FieldObject object, 261
 - TextObject object, 253
 - LineSpacingType property
 - FieldElementObject object, 255
 - FieldObject object, 261
 - TextObject object, 253
 - LineStyle property
 - BoxObject object, 258
 - LineObject object, 257
 - LineThickness property
 - BoxObject object, 258
 - LineObject object, 257
 - linked subreports, 157–159
 - linking tables, 215–216
 - Links option, Edit menu, 20
 - Links property
 - Database object, 206
 - SubReportObject object, 281
 - Links tab, 17
 - local variables, 174
 - LocalizedName property, 212
 - Location property, 210
 - Lock Format option, Formatting toolbar, 26
 - Lock Size/Position option, Formatting toolbar, 26
 - Log On or Off Server option, Database menu, 23
 - LogOffServer method, 198
 - LogonServer method, 197
 - LogOnServer method, 198
 - LogOnServerEx method, 197, 198
 - LookupType property, 216
 - Lotus 123, 13
 - Lotus Notes/Domino, 403, 404, 409
 - LotusDominoComments property, 316
 - LotusDominoDatabaseName property, 316
 - LotusNotesFormName property, 316
- M**
- MailBccList property, 316
 - MailCcList property, 316
 - MailMessage property, 316
 - MailSubject property, 316
 - MailToList property, 316
 - MailUserName property, 316
 - MainReportField property,
 - SubreportLinksObject object, 282
 - map files, 411–412
 - Map option, Insert menu, 21
 - MAPI format, exporting reports, 338–339, 409

- MapObject object, 276
 - MarkerShape property, GraphObject object, 273
 - MarkerSize property, GraphObject object, 273
 - mathematic operators. *See* arithmetic operators
 - mathematical functions, 182
 - MaxData2AxisValue property, GraphObject object, 273
 - MaxDataAxisValue property, GraphObject object, 273
 - MaximumValue property, 239
 - MaxNumberOfLines property
 - FieldElementObject object, 255
 - FieldObject object, 261
 - TextObject object, 253
 - MaxSeriesAxisValue property, GraphObject object, 273
 - MBCS (Multi-Byte Character Sets), 13
 - MDAC, for database drivers, 403
 - menus
 - Database menu, 23
 - Edit menu, 20
 - File menu, 19–20
 - Format menu, 22–23
 - Help menu, 24
 - Insert menu, 21–22
 - Report menu, 23–24
 - View menu, 20–21
 - Window menu, 24
 - merge modules, 413–414
 - MessageFormula property, 242
 - Microsoft Access, direct access database driver, 403–405
 - Microsoft Data Link File property, 212
 - Microsoft Excel format, exporting reports, 320–322, 410
 - Microsoft Visual Studio.NET, 189
 - Microsoft Word, exporting reports, 319–320, 410
 - MinData2AxisValue property, GraphObject object, 273
 - MinDataAxisValue property, GraphObject object, 273
 - MinimumHeight property, Section object, 250
 - MinimumValue property, 239
 - MinSeriesAxisValue property, GraphObject object, 273
 - MinuteSecondSeparator property
 - FieldElementObject object, 255
 - FieldObject object, 261
 - MinuteType property
 - FieldElementObject object, 255
 - FieldObject object, 261
 - Modules.zip file, 420
 - MonthType property
 - FieldElementObject object, 255
 - FieldObject object, 261
 - mouse, resizing and moving objects, 37
 - Move option, Format menu, 22
 - moving objects, 36–38
 - MRU option, File menu, 20
 - multi-line TextObject, 252
 - multiple value parameters, 135–137
- ## N
- Name property
 - Area object, 247
 - BlobFieldObject object, 266
 - BoxObject object, 258
 - ConnectionProperties object, 212
 - CrosstabObject object, 267
 - Database Table object, 210
 - DatabaseFieldDefinition object, 215
 - Field object, 296
 - FieldObject object, 261
 - FormulaFieldDefinition object, 237
 - GraphObject object, 274
 - GroupNameFieldDefinition object, 228
 - LineObject object, 257
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - ParameterFieldDefinition object, 239
 - ReportAlerts object, 242
 - RunningTotalFieldDefinitions object, 232
 - Section object, 250
 - SpecialVarObject object, 264
 - SQLExpressionFieldDefinition object, 235
 - SubReportObject object, 281

- SummaryFieldDefinition object, 229
 - TextObject object, 253
 - Namelds property, ConnectionProperties object, 211
 - Native connections, 213
 - navigation, Web reporting, 362–364
 - NeedsCurrentValue property, 239
 - NeedUpdatedPages property, 205
 - NegativeType property, FieldElementObject object, 256
 - .NET version, Crystal Reports, 189
 - New Class dialog box, 284–285
 - New option
 - File menu, 19
 - Standard toolbar, 25
 - New option, in Format Editor, General toolbar, 167
 - New Property dialog box, 305
 - NewPageAfter property
 - Area object, 247
 - Section object, 250
 - NewPageBefore property
 - Area object, 247
 - Section object, 250
 - NewReport method, 196
 - Next Bookmark option, Editor toolbar, 170
 - NextValue property
 - DatabaseFieldDefinition object, 215
 - FormulaFieldDefinition object, 237
 - GroupNameFieldDefinition object, 228
 - ParameterFieldDefinition object, 239
 - RunningTotalFieldDefinitions object, 232
 - SpecialVarObject object, 264
 - SQLExpressionFieldDefinition object, 235
 - SummaryFieldDefinition object, 229
 - NoData event, 345
 - NT Event Log, 405
 - Nth current value, 241
 - NthValueDescription(nIndex) property, 239
 - Number data type, 172
 - Number property, Section object, 250
 - NumberOfBytes property
 - DatabaseFieldDefinition object, 215
 - FormulaFieldDefinition object, 237
 - GroupNameFieldDefinition object, 228
 - ParameterFieldDefinition object, 239
 - RunningTotalFieldDefinitions object, 232
 - SpecialVarObject object, 264
 - SQLExpressionFieldDefinition object, 235
 - SummaryFieldDefinition object, 229
 - NumberOfCurrentRanges property, 239
 - NumberOfCurrentValues property, 239
 - NumberOfDefaultValues property, 239
 - NumberOfGroup property, 205
 - NumberOfLinesPerPage property, 316
 - NumberOfTopOrBottomNGroups property, 247
- O**
- Object Browser, 345–346, 348–349, 353
 - Object Factory, RAS, 383
 - object model, 190–192, 196
 - Object Name field, Hyperlink information section, Format Editor dialog box, 361, 362
 - Object option
 - Edit menu, 20
 - Format menu, 22
 - Object Size and Position window, 37
 - objects. *See also* RDC
 - inserting OLE objects, 142–143
 - modifying, 352
 - resizing and moving, 36–38
 - ObjectSummaryFieldDefinitions collection, 279
 - ODBC
 - access database drivers, 405–407
 - connection, 212, 219–220
 - format, exporting reports, 339–341, 409
 - ODBCDataSourceName property, 316
 - ODBCDataSourcePassword property, 317
 - ODBCDataSourceUserID property, 317
 - ODBCExportTableName property, 317
 - OLAP data source, 408
 - OLAP Grid option, Insert menu, 21
 - OLAP Report Settings option
 - Expert Tools toolbar, 28
 - Report menu, 23
 - OLAPGridObject object, 278–279
 - OLE DB connection, 212
 - OLE DB data source, 207, 218–219, 408

- OLE Object option
 - inserting OLE objects, 142–143
 - opening, 22
- OLEObject, 276–278
- OLEObject object, 277
- on-demand subreports, 149, 149–151
- one-dimensional arrays, 173
- OnReportSourceError event, 300
- Open option
 - File menu, 19
 - Standard toolbar, 25
- Open Windows List option, Window menu, 24
- OpenReport method, 195–196
- OpenSubreport method, 196, 280, 281
- Operator Tree, 166, 170, 176
- operators, types of, 175–176
- Option loop, 181
- Options dialog box, Tools option, 283, 288–289
- Options option, File menu, 19
- Oracle
 - access database drivers, 406
 - connection, 213
 - database access, 403
 - direct access database driver, 405
- Other operators, 176
- Other Views option, View menu, 20
- Outlook, 403, 404
- Outside Borders option, Formatting toolbar, 26

P

- Page Footer parameter, Area object, 246
- page footers, 333–334
- Page Frame, Forms Controls toolbar, 306
- Page Header parameter, Area object, 246
- page headers, 333–334
- Page object, 370–371
- PageEngine object, 366–368, 370–371
- PageEngine property, 205
- PageGenerator object, 367, 368–370
- PageInit event, 391
- Pages collection, 370–371
- PaperOrientation property, 200
- PaperSize property, 200, 201

- PaperSource property, 200
- Paradox, direct access database driver, 405
- Paragraph tab, Format Editor, 35, 144–145
- parameter fields, 175, 237–243
- ParameterFieldDefinition object, 237
- ParameterFieldDefinitions collection, 237
- ParameterFieldName property, 239
- ParameterFields property, 205
- ParameterName property, 209
- parameters in custom functions, 183
- ParameterType property, 239
- ParameterValueInfo object, 209
- ParameterValueInfos collection, 209
- ParameterValues property, 209
- Parent property
 - Area object, 247
 - BlobFieldObject object, 266
 - BoxObject object, 258
 - CrosstabGroup object, 269
 - CrosstabObject object, 267
 - Database object, 206
 - Database Table object, 210
 - DatabaseFieldDefinition object, 215
 - definition, 194
 - ExportOptions object, 317
 - FieldElement object, 253
 - FieldElementObject object, 256
 - FieldObject object, 261
 - FormulaFieldDefinition object, 236, 237
 - GraphObject object, 274
 - GroupNameFieldDefinition object, 228
 - LineObject object, 257
 - MapObject object, 276
 - ObjectSummaryFieldDefinitions collection, 279
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - PageEngine object, 367
 - ParameterFieldDefinition object, 239
 - Report object, 205
 - ReportAlerts object, 242, 243
 - RunningTotalFieldDefinitions object, 232
 - Section object, 250
 - SortField object, 226
 - SpecialVarObject object, 264
 - SQLExpressionFieldDefinition

- object, 235
- SubreportLinksObject object, 282
- SubReportObject object, 281
- SummaryFieldDefinition object, 229
- TableLink object, 216
- TextObject object, 253
- parentheses, for list of parameters, 183
- ParentIndex property, 295
- ParentIdField property, 247
- PartialMatchEnabled property, 216
- Pass 1 report processing model, 48
- Pass 2 report processing model, 48
- Pass 3 report processing model, 48
- Password property, 212, 213
- Paste option
 - Edit menu, 20
 - Standard toolbar, 25
- Paste Special option, Edit menu, 20
- pattern operators, 176
- PDF (Adobe Acrobat) format, 318–319, 409
- PDFExportAllPages property, 317
- PDFFirstPageNumber property, 317
- PDFLastPageNumber property, 317
- Percent option, Formatting toolbar, 26
- Perform Grouping on Server option,
 - Database menu, 23
- Perform Query Asynchronously option, 40
- Performance Information option, Report menu, 24
- PerformGroupingOnServer property, 222
- PickListSortMethod property, 239
- picture fields, 263
- Picture option, Insert menu, 21
- PieSize property, GraphObject object, 274
- Pivot Cross-Tab option, Format menu, 22
- Pivot OLAP Grid option, Format menu, 22
- PlaceholderOptions property, 367
- PlaceInGroup property, 239
- Platforms.txt file, 417, 418
- PmString property
 - FieldElementObject object, 256
 - FieldObject object, 261
- PortName property, 200
- Pre-pass 1 report processing model, 48
- Pre-pass 2 report processing model, 48
- Preview option, View menu, 20
- Preview tab, Group tree, 29–30
- previewing reports
 - ActiveX Control, 283–284
 - creating a preview form, 284–291
 - Refresh method, 291–293
 - retrieving information, 293–294
 - selection, 388
 - testing, 290–291
- Previous Bookmark option, Editor toolbar, 170
- PreviousValue property, 239
 - DatabaseFieldDefinition object, 215
 - FieldObject object, 262
 - FormulaFieldDefinition object, 237
 - GroupNameFieldDefinition object, 228
 - RunningTotalFieldDefinitions object, 232
 - SpecialVarObject object, 264
 - SQLExpressionFieldDefinition object, 235
 - SummaryFieldDefinition object, 230
- Print dialog box, 201
- Print option
 - File menu, 19
 - Standard toolbar, 25
- Print Preview option
 - File menu, 19
 - Standard toolbar, 25
- Print Report dialog box, 378–379
- Print Setup dialog box, 201–202
- Print State function, 182, 184
- PrintAtBottomOfPage property, 247
- PrintAtBottomOfPage property, Section object, 250
- PrintDate property, 200
- PrinterDuplex property, 200
- PrinterName property, 200
- PrinterSetup method, 201–202
- printing reports, 199–201, 354–355
- PrintingStatus object, 202–203
- PrintingStatus property, 200
- PrintOut method, 201
- PrintReport method, 292
- Professional version, 2
- programmatic exports, 314–317
- Programming Shortcuts function, 182
- Project Data, 395

Prompt property, 239
property bag, ConnectionProperties object,
211–212
Provider property, 212
publishing web services, 396–397

R

range data types, 172–173
range operators, 176
range values, 136–137
Ranges function, 182
RAS Configuration Manager, 372–379
RAS (Report Application Server)
adding reports, 382
architecture, 383
Cascading Style Sheet (CSS) file, 380
cascading style sheets, 360
customizing, 379–382
definition, 14
DHTML viewer, 358, 362
ePortfolio Lite sample application, 374
features, 372
features not supported, 374
License.pdf file, 417
License.rtf file, 418
Object Factory, 383
Platforms.txt file, 418
RAS Configuration Manager, 372–379
RAS Export form, 378
RAS Launchpad, 373
RAS server, 415
RAS_sdk.chm file, 418
RAS_user.chm file, 418
Reprot_Viewers.chm file, 418
SDK (Software Development Kit),
382–384
RDC (Report Designer Component). *See also*
collections; DLL files; exporting
reports; ReportObject object
blank reports, 309
calling from ASP pages, 364
ConnectionProperties object, 211–213
with Crystal Reports 9, 14
database access drivers, 403–413
Database object, 206–207
Database Table object, 207, 209–210
dependency files, 402

distribution
basic install, 401–402
licensing, 414–416
merge modules, 413–414
.NET, 414
Web reporting, 414
documentation, 190
features, 190
formatting reports
with Areas, 245–251
margins, 203
subreports, 280–282
instantiating the Application object, 195
integrating reports into applications, 189
manipulating data
with formulas, 236–237
grouping, 226–228
with parameters, 237–243
with running totals, 231–234
sorting, 225–226
with SQL Expressions, 234–235
with summary fields, 228–230
Object Browser, 348–349
object model, 190–192, 196
Object Model diagram, 211
opening report files, 195–196
printing reports, 354–355
properties, 194–195
RDC server, 415
Report Designer Component
Runtime, 189
Report object, 226
SortField object, 226
RDO connection, 212
Re-import subreport options, 150
Re-import When Opening dialog box,
160–161, 162
Readme.txt file, 417
ReadRecords method, 206
Realize Event method, 308
Record Selection tab, 18
Record Sort Expert option, Expert Tools
toolbar, 27
Record Sort Expert option, Report menu, 23
Records export, 409

- RecordSelectionFormula property, 205, 222
- RecordSortFields property, 205
- recursion, 184
- Redo option
 - Edit menu, 20
 - Standard toolbar, 25
- Redo option, Editor toolbar, 170
- referencing elements, 173
- Refresh method, 291–293
- Refresh Report Data option, Report menu, 24
- Register / Change Address option, Help menu, 24
- Registration Wizard, 11–12
- ReimportSubreport method, 280, 281
- Release Notes option, 3
- Releasenotes.doc file, 417
- Remote Data Objects (RDO), 408
- Rename option, in Formula Editor, General toolbar, 167
- RenderEPF method, 371
- RenderHTML method, 371
- RenderTotalledHTML method, 367–368
- RenderTotalledETF method, 367, 370
- RepeatGroupHeader property, 247
- report alerts, 139–142
- Report Application Server support forum, 421
- Report Bursting Indexes option, Report menu, 23
- Report Creation support forum, 421
- report creation, with Crystal Reports 9, 14
- Report Custom Functions node, 186
- report definition, 337
- Report Definition File, export format drivers, 409
- Report Designer, 190
- Report Designer Component. *See* RDC
- Report Engine API, 189
- Report events, 344–345
- Report Explorer option
 - Standard toolbar, 25
 - View menu, 21
- Report Footer parameter, Area object, 246
- Report Header parameter, Area object, 246
- Report object
 - ADO connection, 218–219
 - creating, 195
 - events, 295
 - methods, 205, 226
 - opening and closing reports, 195–199
 - printing reports, 199–203
 - properties, 199–201, 204, 221, 222, 241–242, 287
 - referencing, 196–197
 - releasing, 291
- Report Options dialog box, 46–47, 362, 363
- Report Options option, File menu, 19
- report parameters, 133–139
- report parts, 14, 362–364
- Report Parts Viewer, 362–363, 374, 377
- report processing model, 47–48
- Report sections, 30–31
- Report Style Expert option, Format menu, 22
- report variables, 355–356
- Report Viewer, 190
- Report Wizard, 149
- ReportAlertInstance object, 242–243
- ReportAlerts collection, 241–242
- ReportAlerts object, 242
- ReportAlerts property, 205, 241–242
- ReportAuthor property, 205
- ReportClientDocument object, 382–384
- ReportComments property, 205
- ReportDocument class, 387
- ReportDocument dialog box, 387
- Reporting options, 42–43
- ReportListing.ASP files, 381–382
- ReportName property, 239
- ReportObject object, TextObject object, 251–253
- ReportObject property
 - Designer Control, 311
 - Section object, 250
- ReportObjects collection, 250–251
- ReportSource property, 286, 287
- ReportSubject property, 205
- ReportSubReport method, 280
- ReportTemplate property, 205
- ReportTitle property, 205
- Repository Explorer option
 - Standard toolbar, 25
 - View menu, 17, 21

- reset method, 317
 - ResetCondition property, 232
 - ResetConditionField property, 232
 - ResetConditionFormula property, 232
 - ResetGroupNumber property, 232
 - ResetPageNumberAfter property
 - Area object, 247
 - Section object, 250
 - Resize method, 288, 290
 - resizing objects, 36–38
 - retrieving information, 293–294
 - Rich File Format. *See* RTF
 - Right property
 - BoxObject object, 258
 - LineObject object, 257
 - RightCropping property
 - BlobFieldObject object, 266
 - OLEObject object, 277
 - RightIndent property
 - FieldElementObject object, 256
 - FieldObject object, 262
 - TextObject object, 253
 - RightLineStyle property
 - BlobFieldObject object, 266
 - CrosstabObject object, 268
 - FieldObject object, 262
 - GraphObject object, 274
 - MapObject object, 276
 - OLAPGridObject object, 278
 - OLEObject object, 277
 - SubReportObject object, 281
 - RightMargin property, 203
 - Rnd function, 184
 - RoundingType property
 - FieldElementObject object, 256
 - FieldObject object, 262
 - RowGrandTotalColor property,
 - CrosstabObject object, 268
 - RowGroups property
 - CrosstabGroup object, 268
 - CrosstabObject object, 268
 - Rptchk32.zip file, 420
 - RptServer.ASP file, 365
 - RTF (Rich File Format)
 - embedded, 145
 - export format drivers, 409
 - exporting reports, 339–341
 - RTFExportAllPages property, 317
 - RTFFirstPageNumber property, 317
 - RTFLastPageNumber property, 317
 - Rulers option, View menu, 21
 - running totals, 231–234
 - RunningTotalFieldDefinitions collection, 231
 - RunningTotalFieldDefinitions object, 231
 - RunningTotalFieldName property, 232
 - RunningTotalFields property, 205
 - runtime component. *See also*
 - previewing reports
 - design form, 304–310
 - registering, 192–194, 282, 283, 303–304
 - Runtime.chm file, 417
- ## S
- Save As dialog box, 333
 - Save As option, File menu, 19
 - Save Data with Report option, File menu, 19, 42
 - Save option
 - Editor toolbar, 169
 - File menu, 19
 - Standard toolbar, 25
 - Save Subreport As option, File menu, 19
 - SaveAs dialog box, 321
 - SaveAs method, 196
 - SavePreviewPicture property, 205
 - SaveReport method, 311
 - scope operators, 176
 - SDK (Software Development Kit), 382–384
 - SearchByFormula method, 294
 - SearchForText method, 293
 - SecondarySummarizedField property, 230, 232
 - SecondType property
 - FieldElementObject object, 256
 - FieldObject object, 262
 - Section events, 352–354
 - Section Expert option
 - Expert Tools toolbar, 28, 30–31
 - Report menu, 23
 - Section object
 - AddBlobFieldObject method, 265–266
 - AddBoxObject method, 257–258
 - AddCrossTabObject method, 267

- AddFieldObject method, 259
- AddLineObject method, 257
- AddPictureObject method, 263
- AddSpecialVarFieldObject method, 263
- ImportSubreport method, 280
- properties, 250
- SectionExpert dialog box, 248
- Sections collection, 249
- Sections property, 205, 247
- Select All option, Edit menu, 20
- Select Distinct Records option, Database menu, 23
- Select Expert option, Expert Tools toolbar, 28
- Select Expert option, Report menu, 23
- Select Export File dialog box, 325
- Select Features tab, 8
- Select From field, Hyperlink information section, Format Editor dialog box, 361
- Select Installation Type tab, 7
- Select statement, 179
- SELECT statement, status, 28
- SelectedFieldIndex property, 296
- Selection Formulas option, Report menu, 23
- SelectionFormulaBuilt event, 300
- SelectionFormulaButtonClicked event, 299
- SelectPrinter method, 202
- Send Mail dialog box, 338
- Send To option, File menu, 19
- separated values, 332–334, 410
- SeriesAxisDivisionMethod property, GraphObject object, 274
- SeriesLabelFont property, GraphObject object, 274
- SeriesTitle property, GraphObject object, 274
- SeriesTitleFont property, GraphObject object, 274
- server database, logging on and off, 217–218
- Server property, 213
- service packs, 419–420
- Services option, 3
- Session Password property, 213
- Session UserID property, 213
- Set Datasource Location option, Database menu, 23
- Set Default Values dialog box, 138
- Set OLAP Cube Location option, Database menu, 23
- Set Print Date/Time option, Report menu, 24
- SetDataSource method, 206, 207, 210
- SetEvaluateConditionField method, 233–234
- SetInstanceldField method, 248
- SetLineSpacing method, 252, 254, 259
- SetMatchLogonInfo method, 198, 218
- SetNthDefaultValue method, 241
- SetOLELocation method, 278
- SetParentldField method, 248
- SetReportVariableValue method, 356
- SetSecondarySummarizedField method, 230
- SetSummarizedField method, 230, 233
- SetTableLocation method, 210
- SetText method, 252
- setting options
 - application options, 38–46
 - Report options, 46–47
 - report processing model, 47–48
- SetUnboundFieldSource method, 280
- Setup and Install support forum, 421
- Setup method, 287–288
- SetUserPaperSize method, 201
- shared variables, 174, 184
- Show formatting formula nodes, in Formula Editor, Workshop toolbar, 167
- Show SQL Query option, Database menu, 23
- ShowGroup event, 300
- ShowGroup method, 292–293
- ShowNthPage method, 292
- side-by-side installation, 14
- simple data types, 172
- simultaneous users, 196
- Size and Position option, Format menu, 22
- Size option, Format menu, 22
- SliceDetachment property, GraphObject object, 274
- Smart Tag options, 46–47
- Smart Viewer ActiveX control, 366
- Smart Viewers, 365
- SmartViewerActiveX.ASP file, 365, 371–372
- SmartViewerJava.ASP file, 365
- Solution Explorer

- adding reports to .NET Solution, 393–394
- Chartservice.aspx, 307
- report wrapper class file, 387
- Sort Trees option, Editor toolbar, 170
- SortDirection property
 - Area object, 248
 - CrosstabGroup object, 269
 - SortField object, 226
- SortField object, 226
- SortFields collection, 225
- sorting data, 225–226
- SourceFields property, 216
- SourceTable property, 216
- special characters, in fields, 175
- special variable fields, 263–265
- SpecialVarObject object, 263–264
- SpecialVarType property, 264
- SpecifiedGroups property, 248
- spreadsheets, 322–323
- SQL
 - commands, 14, 235
 - SQL Data, 221
 - SQL Designer support forum, 421
 - SQL Expression field, 234–235
 - SQL SELECT statement, 133–139
 - SQL Server, 217
 - Sqlcon32.zip file, 420
- SQL Expressions
 - DLL files, 412
 - FieldDefinition object, 234–235
 - FieldDefinitions collection, 234–235
- SQLExpressionFieldName property,
 - ExSQLExpressionFieldDefinition object, 235
- SQLExpressionFields property, Report object, 205
- Standard Report Creation Wizard
 - Data page, 151–152
 - Fields page, 152–153
 - Grouping page, 153–154
 - Summaries page, 154–155
- Standard toolbar, 25
- Standard version, 2
- Start Installation dialog box, 8
- Status Bar option, View menu, 21
- stored procedure parameters, 208–209
- String data type, 172
- string functions, 182
- string operators, 176
- Subreport Links option, Edit menu, 20
- Subreport option, Insert menu, 21
- SubreportField property,
 - SubreportLinksObject object, 282
- SubreportLinks collection, 282
- SubreportLinksObject object, 282
- SubreportName property, SubReportObject object, 281
- SubReportObject object, 280
- subreports
 - capabilities, 149
 - formatting, 280–282
 - inserting, 149–150
 - linked, 157–159
 - logon information, 217
 - on-demand, 149, 159–160
 - OpenSubreport method, 196
 - previewing, 156
 - printing, `60
 - unlinked, 150–157
 - updating, 160–162
- Subreports support forum, 421
- SubTitle property, GraphObject object, 274
- SubTitleFont property, GraphObject object, 274
- Summaries tab, 18, 154–155
- SummarizedField property, 230, 232
- summary fields, 228–230, 265
- summary functions, 182
- Summary Info option, File menu, 20
- Summary option, Insert menu, 21
- SummaryFieldDefinition object, 228–229
- SummaryFieldDefinitions collection, 228
- SummaryFieldObjects object, 265
- SummaryFields property
 - CrosstabObject object, 268
 - GraphObject object, 274
 - Report object, 205
- SummaryOperationParameter property,
 - 230, 232
- SummaryType property, 230, 233
- Suppress (No Drill-Down) option, 31
- Suppress option, Formatting toolbar, 26, 163

- Suppress property
 - Area object, 248
 - BlobFieldObject object, 266
 - BoxObject object, 258
 - CrosstabObject object, 268
 - FieldElementObject object, 256
 - FieldObject object, 262
 - GraphObject object, 274
 - LineObject object, 257
 - MapObject object, 276
 - OLAPGridObject object, 279
 - OLEObject object, 277
 - Section object, 250
 - SubReportObject object, 281
 - TextObject object, 253
- SuppressIfBlank property, Section object, 250
- SuppressIfDuplicated property
 - FieldElementObject object, 256
 - FieldObject object, 262
 - TextObject object, 253
- SuppressIfZero property
 - FieldElementObject object, 256
 - FieldObject object, 262
- Sybase, 403, 405
- Sybase Adaptive Server, 407
- Syntax option, Editor toolbar, 171
- System Database Path property, 213
- T**
- tab-separated text, 334–335
- tab Setup option, File menu, 19
- TableAliasName property, 215
- TableLink object, 216
- TableLinks collection, 215–216
- tables
 - linking, 215–216
 - referencing, 207–208
 - types of, 208
- Tables property, 206
- Technical Resources option, 3
- technical support, 418–419
- Techref.pdf file, 417
- Template Expert option
 - Expert Tools toolbar, 28
 - Report menu, 23
- Template Field Object option,
 - Insert menu, 22
- Template tab, 18
- Text Interpretation option, 144–145
- Text Object option, Insert menu, 21
- Text property
 - EventInfo object, 295
 - FormulaFieldDefinition object, 237
 - SQLExpressionFieldDefinition object, 235
 - TextObject object, 253
- text reports, 335–336, 410
- TextColor property
 - FieldObject object, 262
 - TextObject object, 253
- TextFormat property
 - FieldElementObject object, 256
 - FieldObject object, 262
- TextObject, 250–251
- TextObject object, 251–253
- TextRotationAngle property
 - FieldObject object, 262
 - TextObject object, 253
- Thousands option, Formatting toolbar, 26
- ThousandsSeparator property
 - FieldElementObject object, 256
 - FieldObject object, 262
- ThousandSymbol property
 - FieldElementObject object, 256
 - FieldObject object, 262
- Tight Horizontal setting, Format Editor, 33
- Tile Horizontally option, Window menu, 24
- Tile Vertically option, Window menu, 24
- TimeBase property
 - FieldElementObject object, 256
 - FieldObject object, 262
- Title property, GraphObject object, 274
- TitleFont property, GraphObject object, 274
- Toggle Bookmark option, Editor toolbar, 170
- Toggle Group Tree option, Standard toolbar, 25
- Toggle properties display option, in
 - Formula Editor, Custom Function toolbar, 168
- Toolbar objects, 297–299

- Toolbar.ASP file, 365
 - toolbars
 - Expert Tools toolbar, 27–28
 - Formatting toolbar, 26
 - Insert Tools toolbar, 27
 - Standard toolbar, 25–26
 - Toolbars option, View menu, 21
 - Toolbox, WebForms tab, 389
 - Tooltips option, View menu, 21
 - Top property
 - BlobFieldObject object, 266
 - BoxObject object, 258
 - CrosstabObject object, 268
 - FieldObject object, 262
 - GraphObject object, 274
 - LineObject object, 257
 - MapObject object, 276
 - OLAPGridObject object, 279
 - OLEObject object, 277
 - SubReportObject object, 281
 - TextObject object, 253
 - TopBorderStyle property, OLEObject object, 277
 - TopCropping property
 - BlobFieldObject object, 266
 - OLEObject object, 277
 - TopLineStyle property
 - BlobFieldObject object, 266
 - CrosstabObject object, 268
 - FieldObject object, 263
 - GraphObject object, 274
 - MapObject object, 276
 - OLAPGridObject object, 279
 - SubReportObject object, 281
 - TextObject object, 253
 - TopMargin property, 203
 - TopOrBottomNGroupSortOrder property, 248
 - TopOrBottomNSortField property, 248
 - TrackCursorInfo object, 287
 - TrackCursorInfo property, 286
 - TRANSFORM function, 199
 - TranslateDOSMemos property, 311
 - TranslateDOSStrings property, 311
 - troubleshooting utilities, 420
 - Trusted_Connection property, 212
 - TTX files, 334
 - twips, 203
 - Type Conversion function, 182
 - Type Library References dialog box, 193
 - Type property, 295
 - Types tab, Intellisense Manager, 192
- ## U
- UFLs (User Function Libraries), 182, 344, 412–413
 - unbound fields, 279–280
 - Underlay Following Sections option, 31
 - UnderlaySection property, Section object, 250
 - Underline option, Formatting toolbar, 26
 - Undo option
 - Edit menu, 20
 - Editor toolbar, 170
 - Standard toolbar, 25
 - Unicode support, 14
 - unlinked subreports, 150–157
 - Update Connected Repository Objects When Loading Reports option, 42
 - updating reports, 160–162
 - Use Expert option
 - Editor toolbar, 171
 - Format menu, 22
 - Use Indexes or Server for Speed option, 39
 - UseDefaultCharactersPerInch property, 317
 - UseDefinedCharactersPerInch property, 317
 - UseIndexForSpeed property, 205, 311
 - UseLeadingZero property
 - FieldElementObject object, 256
 - FieldObject object, 263
 - UseOneSymbolPerPage property
 - FieldElementObject object, 256
 - FieldObject object, 263
 - User Function Libraries (UFLs), 182, 344, 412–413
 - User ID property, 212, 213
 - User Information tab, 6
 - User Preferences, RAS, 374
 - UseReportDateFormat property, 317
 - Usrgde.pdf file, 417
 - UseSystemDefaults property
 - FieldElementObject object, 256
 - FieldObject object, 263

V

Value property

- DatabaseFieldDefinition object, 215
- Field object, 296
- FieldObject object, 263
- FormulaFieldDefinition object, 237
- GroupNameFieldDefinition object, 228
- ParameterFieldDefinition object, 239
- RunningTotalFieldDefinitions object, 233
- SpecialVarObject object, 264
- SQLExpressionFieldDefinition object, 235
- SummaryFieldDefinition object, 230

ValueFormatOptions property, 367

ValueType property

- DatabaseFieldDefinition object, 215
- FormulaFieldDefinition object, 237
- GroupNameFieldDefinition object, 228
- ParameterFieldDefinition object, 240
- RunningTotalFieldDefinitions object, 233
- SpecialVarObject object, 265
- SQLExpressionFieldDefinition object, 235
- SummaryFieldDefinition object, 230

variable declarations, 176

variables, types of, 174

VCL (Visual Component Library), 189

Verify Database option, Database menu, 23

Verify method, 206, 207

VerifyOnEveryPrint property

- Designer Control, 311
- Report object, 205, 221

version number, 198, 199

View Classes, Form Controls toolbar, 289–290

View Control, exporting reports, 313

View menu, 20–21

ViewChanged event, 300

ViewChanging event, 300

ViewCount property, 286

Viewer Control

- methods, 291
- preview form, 388
- properties, 285

viewers

- customizing, 371–372
- DHTML, 358, 360, 362
- HTML, 374, 376, 377
- HTML Viewer, 365
- Report, 190
- Report Parts Viewer, 362–363, 374, 377
- Smart Viewers, 365, 371–372

Viewer's ReportSource property, 300

ViewingAngle property, GraphObject object, 275

ViewReport method, 288, 292

VIM, export destination driver, 409

Virtual Directory, IIS, Manager, 365

Visual Basic

- creating components in, 355
- registering the runtime component, 193–194

Visual Basic References dialog box, 194

Visual Component Library (VCL), 189

Visual Fox Pro

- EVENTHANDLER function, 350
- Exchange/Outlook, 404
- hooking into Report events, 345
- Object Browser, 345–346
- registering the runtime component, 192–193, 303–304

Report Creation API, 309

Visual Studio .NET

- adding reports to .NET Solution, 394–395
- ASP.NET Web Application, 389
- designer, 392–394
- environment, 385–388
- previewing web reports, 391, 397

W

Web-based applications, 388–392

Web Components support forum, 421

Web Form Designer Generated Code, 391

Web Report Samples option, Help menu, 24

Web reporting. *See also* RAS

- ASP reporting, 364–366
- capabilities, 357
- cascading style sheets, 359–360
- customizing viewers, 371–372
- distribution, 414
- embedded hyperlinks, 357–358

- navigation, 360–362
- page rendering objects, 366–371
- report parts, 362–364
- Web Reporting option, 3
- web service
 - consuming, 397–398
 - publishing, 396–397
- WebForms tab, Toolbox, DataBindings property, 389–390
- Welcome Dialog option, Help menu, 24
- Whatsnew.pdf file, 417
- While/Do command, 180
- Width property
 - BlobFieldObject object, 266
 - CrosstabObject object, 268
 - FieldObject object, 263
 - GraphObject object, 275
 - MapObject object, 276
 - OLAPGridObject object, 279
 - OLEObject object, 277
 - Section object, 250
 - SubReportObject object, 281
 - TextObject object, 253
- Window menu, 24
- Windows-based applications, 385–388
- Windows Form Designer Generated Code, 397
- wizards
 - Installation Wizard, 3–10
 - Registration Wizard, 11–12
- Workshop toolbar, Formula Editor, 167
- Workshop Tree, 166, 167, 168–169, 185

X

- XAxisTitle property, GraphObject object, 275

XML

- connection, 220
- data sources, 407
- format, exporting reports, 328–332, 410
- web services, 396–398
- XML Attribute dialog box, 332
- XML Expert dialog box, 330, 331
- XML Expert option, Report menu, 23
- XMLAllowMultipleFiles property, 317
- XMLFileName property, 317

- XScaling property
 - BlobFieldObject object, 266
 - OLEObject object, 277

Y

- Y2AxisTitle property, GraphObject object, 275
- YAxisTitle property, GraphObject object, 275
- YearType property
 - FieldElementObject object, 256
 - FieldObject object, 263
- YScaling property
 - BlobFieldObject object, 266
 - OLEObject object, 277

Z

- ZAxisTitle property, GraphObject object, 275
- zero-based arrays, 367
- ZeroValueString property
 - FieldElementObject object, 256
 - FieldObject object, 263
- ZomLevelChanges event, 300
- Zoom Control option, Standard toolbar, 25
- Zoom method, 292