

# Index

Note that you can download the PDF file for this book from [www.hentzenwerke.com](http://www.hentzenwerke.com) (see the section “How to Download the Files” at the beginning of this book). The PDF is completely searchable and will provide additional keyword lookup capabilities not practical in an index.

## A

About to Install screen, 41, 42  
 Accessories menu, 120, 124–125  
 Actions context menu, 120  
 Add Files dialog, 215  
 Add/Remove Packages option, 40  
 Additional CDs screen, 54–55  
 Address value, 166  
 administration tools, 40  
 Adobe Acrobat, PDF files, 223–224  
 alarm-clock utility, 220–221  
 Alert Notification Tool icon, 126  
 applets. *See also* Red Hat Network Alert Notification Tool  
   advantages, 115–116  
   customizing, 126–133

**apropos** command, 323

archives

  adding files to, 217  
   advanced options, 216  
   creating, 215–218  
   default view, 218  
   definition, 213  
   file extensions, 214  
   File Roller, 214–218  
   mailing lists, 100–104  
   with subdirectories, 218

ARJ archive, 214

audio

  moving CDs to disk, 259–264  
   playing CDs, 258–259  
   Rhythmbox, 265–268  
   testing the sound card, 257–258  
   XMMS, 268–273

Audio Devices screen, 258

audio formats, 260–261

authentication, 303–304

authorization dialog, 163–164

automatic partitioning, 32–34

AVI file format, 273

## B

.bash\_profile file, 313

Biel Mean Time, 131

billing package, KArm, 221–222

/bin folder, 140

Bluecurve theme, 108

boot diskette, 46–47

/boot folder, 140

boot loader configuration, 34–35, 61–63

Bourne Again Shell (bash), 311

browser window, creating, 182

browsers. *See* Web browsers

Bugzilla bug report, 104

bzip files, 214

bzip2 files, 214

## C

C: drive, 137–139

C Shell (csd), 311

Calculator Properties dialog, 118

camera. *See* digital images

case sensitivity

  command windows, 316

**echo** command on the PATH environment variable, 320

  file names, 136

“case” structure, 327

**cd** command, 322

CD Database applet, 224–227

CD-ROM burner, 291–293

CDA file extension, 259–260

CDDB Track Editor, 259

CDRECORD command, 17–21

CDs

  Additional CDs screen, 54–55

  burning, 16–21

  checking for errors, 24

  creating, 11–12

  with Fedora Core, 31

  moving to disk, 259–264

  playing, 257–258

  testing the sound card, 258–259

Cervisia, CVS system, 153

Change Boot Loader dialog, 62

**chmod** command, 325, 327

**chown** command, 325

**clear** command, 325

- Clock applet, 120, 129–132
- codec programs, 263–264
- color options
  - GIMP interface, 245–248
  - KPaint, 240–241
- command history, 316
- command line
  - usability, 6–7
  - utilities, 312
- Command Line Interface (CLI), 311
  - command prompts
    - customizing, 313–315
    - definition, 312–313
    - Kudzu, 277
  - command windows
    - attributes, 317–319
    - case sensitivity, 316
    - command history, 316
    - definition, 311
    - multiple, 317
    - opening, 315–316
    - string completion, 316–317
    - title bar, 312
- commands. *See also* specific names of commands
  - comments for, 327
  - cron daemon, 328–329, 330
  - directory navigation and manipulation, 322
  - file manipulation, 323
  - finding other commands, 323–324
  - help commands, 321
  - info pages, 322
  - N.E.C. (not elsewhere classified), 325–326
  - permissions, 325, 327
  - running manually, 276
  - shell scripts (Linux batch files), 327–328
  - types of, 320
  - working with files, 324
- comments, with commands, 327
- compress files, 214
- compressed archives, 214
- Configuration Complete screen, 74
- Control Center applet, 224–227
- Convert Format function, gThumb, 254
- cookies, managing, 182–183
- cp** command, 323
- Create Launcher dialog, 117
- cron daemon, 328–329, 330
- crontab daemon, 328
- cropping images, 249–251
- cross-platform systems, 192
- Crossover Office, WINE program, 6
- Current Conditions, 133

- current directory, referencing (./), 322, 327
- Current Session, advanced options, 227

## D

- daemons, 328
- data. *See also* data; files
  - definition, 135
  - migration from Windows to Linux, 160–161
- data files, 192
- Date and Time screen, 51–52
- Date/Time Properties dialog, 131
- Debian, downloading, 9
- desktop configuration
  - customizing
    - applets, 126–133
    - desktop, 116–117
    - menus, 124–126
    - panel, 117–124
  - default desktop, 108–116
  - interface considerations, 107–108
- Desktop Switching Tool, 109–110
- /dev folder, 140
- df** command, 325
- DHCP (Dynamic Host Configuration Protocol), 63.
  - See also* IP addresses
- DHCP server, 166
- digital images
  - advantages, 233
  - downloading from digital camera, 233–239
  - The GIMP
    - cropping images, 249–251
    - editing images, 251
    - features, 244–245
    - interface, 245–248
    - screen shots, 248–249
  - KPaint, 240–243
  - screen shots, 239–240
  - viewing
    - with GQView, 124, 252–253
    - with gThumb, 253–254
- directory navigation and manipulation, 322
- directory structures
  - C: drive, 137–139
  - folder names, 139–144
  - multiple drives, 144–146
  - path considerations, 321
  - up2date, 79
- Disk Druid tool, 32
- disk partitioning, 32–33, 58–61
- Disk Setup screen, Fedora Core, 59–60
- DNS (Domain Name Server), 166–167

Do Nothing option, 277  
 document templates, 195  
 documentation, for hardware, 22  
 drawing
 

- freehand images with KPaint, 240–243
- icons with KIconEdit, 243–244

 Driver options, printers, 282  
**du** command, 325

## E

**echo** command, 320, 325  
 “Edit a print queue” dialog, 282  
 Edit Interface dialog, 64  
 Edit Partition dialog, 60–61  
 Edit | Repeat command, OpenOffice.org, 197–198

editing
 

- icons, 243–244
- images, 251
- menus, 125
- print queue, 282
- tasks or subtasks, 222

editors
 

- basic functions, 187–191
- gedit, 188–191
- PlayList Editor, 271, 272
- vi, 328, 329–330

e-mail clients
 

- Evolution, 168–174
- icons, 124
- KMail, 175–180
- network connections and, 163
- selecting, 167

encoder programs, 263–264  
 Enterprise archive, 214  
**env** command, 325  
 environment variables, 319–320  
 equal sign key (=), cropping images, 248  
 Equalizer, XMMS, 268, 272  
 error messages
 

- command not found, 327
- disconnected printer, 281
- generic, 102–103
- invalid GPG signature, 78
- scanner, 285
- up2date, 70–71

/etc folder, 140  
 Ethernet Device dialog, 165  
 Ethernet interface, 65  
 Everything check box, Package Group Selection, 40

Evolution
 

- basic functions, 173–174
- icon, 124
- interface, 168
- setup, 168–172

 expanding panels, 122  
 Eye of Gnome, 252

## F

F-Prot, 304  
 FAILED message, 49–50  
 Fedora Core. *See also* installation; multimedia; Red Hat Network Alert Notification Tool; Red Hat Package Manager

advantages, 5, 213  
 APT (Advanced Packaging Tool), 71–72  
 archives, 100–104  
 Audio Devices, 258  
 .bash\_profile file, 313  
 burning CDs, 16–21  
 configuration
 

- boot loader, 34–35, 61–63
- boot menu, 89
- Date and Time screen, 51–52
- firewall, 35–36
- keyboard and mouse, 29–30
- language support, 37
- monitor, 31
- network, 35
- root password, 37–38
- time zone selection, 37
- user account, 52–53

 decision process, 10  
 defaults
 

- desktop, 57–58, 108–116
- e-mail client, 168
- shell program, 311

 distributions, 31–32  
 downloading, 9, 13–16  
 help system, 93–95  
 ISO files, 11–12  
 login screen, 56  
 Mozilla Web browser, 180–184  
 PDF viewers, 223–224  
 Preferences applets, 224–227  
 System Tools applets, 228–232  
 Unix-style editors, 188  
 up2date, 70–71, 76  
 updating, 67–69  
 Username text box, 56–57  
 vi text editor, 328, 329–330  
 Web sites, 95–100

- Welcome screen, 29–30
- X-CD Roast, 291
- yum, 71
- file associations, 154–160
- file** command, 325–326
- file compression software, 213
- file formats
  - archives, 214
  - audio, 260–261, 272
  - CDDA, 259–260
  - considerations, 194–195
  - converting audio formats, 264
  - digital images, 242–243
  - proprietary, 192
  - xine multimedia player, 273
- File Management Preferences dialog, 150
- file managers
  - features, 146–147
  - Konqueror, 150–154, 156
  - Midnight Commander, 147–148
  - Nautilus, 148–150
- file name mask, 217
- File Roller
  - archives, 214–218
  - basic functions, 213–214
  - extracting files, 219
  - formats, 214
- files. *See also* data; editors; OpenOffice.org
  - accessing, 161
  - adding to archives, 217
  - audio, 259–261
  - case sensitivity, 136, 316, 320
  - executing programs, 321
  - extracting with File Roller, 219
  - importing QIF files, 208
  - manipulating, 323
  - naming conventions, 135–136
  - opening, 161
  - PDF files, 192
- filters, e-mail, 174
- find** command, 323–324
- Finish dialog, printer settings, 280
- firewall configuration, 35–36, 308–309
- folders, naming conventions, 139–144
- fomatic package, 88
- Forecast dialog, 132–133
- Function toolbar, OpenOffice.org, 196

**G**

- gateway address, 66
- gedit, 188–191, 189
- Gentoo, downloading, 10

- Ghostview, PDF viewer, 223–224
- GIMP (GNU Image Manipulation Program)
  - cropping images, 249–251
  - editing images, 251
  - features, 244–245
  - interface, 245–248
  - node, 158–160, 227
  - print dialog, 283
  - screen shots, 248–249
- GKrellM System Monitor, 230
- global path settings, 321
- GNOME interface, 93–94, 109–116. *See also*
  - gedit; Nautilus
  - Rhythmbox, 264, 265–268
  - RPM file, 305
- GNU Privacy Guard (GPG), 76. *See also* GIMP
- GnuCash, 40, 187, 208–211
- Gnumeric, 206–209
- GQViewer, 124, 252–253
- graphical style, editors, 188. *See also* gedit
- graphical user interface (GUI), 107–108
- graphics. *See* digital images
- grayscale queue, 282
- grep** command, 324
- Grip program
  - configuration, 263–264
  - converting formats, 264
  - features, 261–263
- Group Properties dialog, 300
- groups, passwords, 298–303
- gThumb, 252, 253–254
- gtkam tool, 233–234
- GUI (graphical user interface), 107–108
- gzip files, 214

**H**

- Hardware Browser, 228
- hardware documentation, 22
- heading levels, OpenOffice.org, 203
- help commands, 321
- help files
  - Fedora Core Web sites, 95–100
  - GnuCash, 209
  - interactive help, 96
  - mailing lists
    - archives, 100–104
    - resources, 96–98
    - subscribing, 98–100
  - online help, 93–95
  - static help, 93
  - TLDP, 95
- home directory, referencing, 322

HOME environment variable, 320  
 /home folder, 140  
 Home Folder icon, 123  
 Host field, 171  
 HOSTNAME environment variable, 320  
 Hostname field, 167  
 hostnames  
   assigned, 35  
   IP addresses and, 64  
   manually entered, 66

## I

icons  
   drawing with KIconEdit, 243–244  
   rearranging, 118–119  
 ID3 options, 264  
 image viewer, 124. *See also* digital images  
 image-viewing programs, 252  
 images. *See also* digital images; GIMP; scanners  
   mode and type options, 289–290  
   previewing before printing, 287  
   viewing, 124, 252  
**info** command, 322  
 /initrd folder, 140–141  
 installation  
   About to Install screen, 41, 42  
   boot diskette creation, 46–47  
   disk partitioning, 32–34, 58–61  
   feedback, 27–28  
   final setup, 48–49, 54–56  
   IP addresses, 35, 63–66  
   license agreement, 49, 51  
   Package Group Selection, 39–41  
   Package Installation Defaults screen,  
     38–39  
   packages, 41–46  
   Preparing RPM transaction dialog, 43  
   process, 21–29  
   Required Install Media dialog, 41  
   steps, 12–13  
   thermometer bar, 44–45  
   Welcome screen, 49–50  
 interfaces  
   artificial, 139  
   Evolution, 168–174  
   OpenOffice.org, 198  
 Internet radio-station player, 265, 267  
 IP addresses  
   Address value, 166  
   assigned, 35, 63–66  
   Ethernet interface, 65

ISO files  
   downloading, 13–16  
   with Fedora Core, 11–12  
   MD5 sums, 15  
   updating, 68

## J

Java archive, 214  
 jukebox, 264, 265

## K

KAlarm, 220–221  
 KArm, 221–222  
 KDE Desktop Environment, 40, 109–110, 150–  
   154. *See also* KOffice  
 KDiskFree monitor, 232  
 Keyboard Configuration screen, 30  
 keyboard shortcuts  
   OpenOffice.org, 196  
   XMMS, 270  
 Keyboard Shortcuts applet, 224–227  
 Kghostview, PDF viewer, 223–224  
 KIconEdit, 243–244  
 KMail  
   basic functions, 178–180  
   icon, 124  
   options, 180  
   setup, 175–178  
 Knoppix, downloading, 9  
 KOffice  
   editors, 108  
   features, 204–206  
 Konqueror  
   file associations, 156  
   file manager, 150–154  
   RPM file, 305  
   Web browsers, 184–185  
 Korn Shell (ksh), 311  
 KPaint, 240–243  
 Kudzu daemon, 275–277  
 Kuickshow, 252  
 KView, 252

## L

Language Selection screen, 29–30  
 language support, 37  
 launchers, 118–119, 121  
 legend, changing, 117  
**less** command, 324  
 LHA archive, 214  
 /lib folder, 141

## Library

- playlist, 266–268
- xine multimedia player, 273

license agreement, 49, 51

Linux. *See also* command windows; directory structures; Fedora Core; files; OpenOffice.org

- accessing files, 161
- advantages, 2–4, 231
- applications, 8
- creating CDs, 11–12
- distributions, 1–2, 8–10
- editors, 187–191
- installation alongside pre-existing OS, 12
- memory requirements, 127
- migration of data from Windows, 160–161
- myths, 4–8
- opening Windows files, 161
- power users, 66
- Red Hat Network, 70
- shell scripts (Linux batch files), 326–328

“Live CD” distributions, 9

LOAD LIST button, XMMS, 271

local mirror, 77–80

**locate** command, 324

Lock option, 120

login screen, 56

logs, viewing, 228–229

/lost+found folder, 141

**ls** command, 322

lzop files, 214

**M**

M3U file format, 272

Macintosh operating system, file associations, 154–160

MAIL environment variable, 320

mailing lists

- archives, 100–104
- resources, 96–98
- subscribing, 98–100

Main Menu icon, 114–115

Mandrake, downloading, 9

manual partitioning, 32

mapped network drives, 142

Master Boot Record, 62

MC. *See* Midnight Commander

MD5SUM file, 14–15

Media Check dialog, 24–27

memory requirements, 127

menus, customizing, 124–126

Midnight Commander, 147

mini-mode, XMMS, 270

Minimal check box, Package Group Selection, 40

/misc folder, 141

MISC OPT button, XMMS, 271

Miscellaneous Settings label, 64

**mkdir** command, 322

/mnt folder, 141–143

monitor configuration, 31

Mount Point list, 61

mouse configuration, 29–30

mouse operations, selecting windows, 111

Mouse Preferences dialog, 115–116

Mozilla Web browser, 180–184

MP3 file format, 260, 264, 273

MPlayer, 274

multimedia

audio

- moving CDs to disk, 259–264
- playing CDs, 258–259
- Rhythmbox, 264, 265–268
- testing the sound card, 257–258
- XMMS, 268–273

video package, 40, 273–274

multiple drives, 144–146

music players, 265–268

**mv** command, 323

**N**

name servers, 166–167

naming conventions

- files, 135–136
- folders, 139–144

Nautilus, 123, 148–150. *See also* X-CD Roast

network configuration, 35, 165–166

network connections, changing, 163–167

Network Devices list box, 64

network drives, mapped, 142

Network Configuration screen, 65

New Archive dialog, 216

New Internet Radio Station dialog, 267–268

Notification Area, 114, 126. *See also* Red Hat Network Alert Notification Tool

**O**

Office Productivity Package, 40

OGG file extension, 260, 264

Ogg Vorbis file format, 261

online help, 93–95

open-source software, 2–4

OpenOffice.org. *See also* GNOME interface;  
 GnuCash; Gnumeric; KOffice  
 advantages, 187  
 configuration, 193–198  
 desktop environment, 108  
 documents, 204  
 features, 191–192, 198  
 file formats, 192  
 Function toolbar, 196  
 installation, 193  
 interface, 198  
 Navigator, 201–204  
 Options dialog, 194–195  
 resources, 192  
 Stylist, 199–200  
 Writer file type, 158  
 /opt folder, 143  
 Options dialog, OpenOffice.org, 193–196  
 “otherwise” clause, 327  
 Outline Level, OpenOffice.org, 202–203

## P

Package Group Selection, 39–41  
 Package Installation Defaults screen, 38–39  
 Packages Flagged to be Skipped screen, 83  
 packages, installation, 41–46  
 panel, GNOME interface, 112–114, 117–124  
 Panel Preferences dialog, 122–123  
 Panel Properties dialog, 121–122  
 partitioning, with Disk Druid tool, 32  
 passwords  
   Audio Devices, 258  
   creating, 297, 302–303  
   prompts for, 295–296  
   root, 37–38, 277, 298  
   users and groups, 298–303  
 PATH environment variable, 320  
 Paths subnode, OpenOffice.org, 195  
 PDF (Portable Document Format) files, 192  
 PDF viewers, 223–224  
 permissions, 325, 327  
 personal finance software, 208–211  
 photos. *See* digital images  
 PKZIP archives, 214, 218  
 Playback option, XMMS, 270  
 playlist  
   creating, 266–268  
   sorting, 270  
   tracks, 265  
 Playlist Editor  
   context menu, 271  
   file formats, 272

XMMS, 268  
 PLS file format, 272  
 Plugins Manager, gedit, 190  
 power users, 66  
 Preferences applets, 224–227  
 Preferences dialog, gedit, 190  
 Preferences menu, 121  
 Pretty Good Privacy (PGP), 76  
 Primary DNS, 167  
 print queue  
   “Add a print queue” wizard, 280  
   adding, 277–283  
   features, 283–284  
 printers  
   configuration, 276  
   Kudzu daemon, 275–277  
   settings, 277–279  
   troubleshooting, 281  
 /proc folder, 143

Processor monitor, 127  
 Properties dialog, 117  
 Properties menu, 121  
 Proxy Configuration screen, 74  
 Proxy options, 264  
 public key, 76  
 publishing process, 192  
**pwd** command, 322

## Q

QIF (Quicken Interchange Format), 208  
 Queue name dialog, 277

## R

RA file extension, 260  
 Radar Map, 133  
 radio station. *See* Internet radio-station player  
 RAM file extension, 260  
 RAND button, VCR controls, 269  
 receiving e-mail  
   with Evolution, 173–174  
   with KMail, 179–180  
 Recur option, KAlarm, 221  
 Red Hat Enterprise, 9. *See also* Fedora Core  
 Red Hat Network, 70  
 Red Hat Network Alert Notification Tool.  
   *See also* up2date  
   Available Updates tab, 89  
   configuration menu, 72–77  
   dialogs, 90  
   features, 70–71  
   General tab, 75  
   Package Exceptions tab, 77

- removing, 73–74
- Retrieval / Installation tab, 75–76
- Retrieving Packages dialog, 77–78
- Terms of Service screen, 73
- update options, 72
- Welcome screen, 73

Red Hat Network Registration dialog, 89

Red Hat Package Manager, 69–70

Red Hat Update Agent

- All Finished screen, 88
- Channels screen, 81
- foomatic package, 88
- Installing Packages screen, 87
- Retrieving Packages screen, 85–86
- Welcome screen, 81

remote file systems, 142

removable storage devices, 142

REP button, VCR controls, 269

Required Install Media dialog, 41

Resource Adapter archive, 214

Resource Monitor, 129–130

Retrieving Packages dialog, 77–78

Review Choices check box, disk partitioning, 58–59

Rhythmbox, 264, 265–268

ripped tracks, playing, 264–273

rippers, file formats and, 260, 261

**rm** command, 323

**rmdir** command, 322

root authorization, 164

/root folder, 143

root password, 37–38, 277, 298

root password dialog, 164

RPM file extension, 260, 305

RPM transitions, 43

## S

samba client, system tools, 40

/sbin, 144

scanners, XSane scanning software, 284–290

screen shots, 124, 239–240, 248–249

Screensaver Preferences dialog, 111

screensavers, 110–111

Secondary DNS, 167

security issues. *See also* passwords

- authentication, 303–304
- echo** command, 320–321
- firewalls, 35–36, 308–309
- myths, 7
- open-source software, 3–4

Select Camera dialog, 234–239

sending e-mail

- with Evolution, 173–174
- with KMail, 178–179

Server Type field, 171

Sessions applet, 224–227

SHELL environment variable, 320

shell scripts (Linux batch files), 326–328

shells, built-in functions, 311

Shortcut keys list, OpenOffice.org, 197

Show Desktop applet, 120, 123–124

Show Details hyperlink, final setup, 48

“Show hide buttons” menu item, 122

Skins link, XMMS, 272–273

slide show, 252

Sound Card screen, 53–54

sound card, testing, 257–258

sound package, 40

special characters, for command prompts, 314–315

spinner control, 248

spreadsheets, 207

StarOffice, 191

Startup Programs, Fedora Core, 227

static help, 93

storage devices

- displays for, 231
- removable, 142
- types of, 137–139

Stylist, 199–200

subdirectories, archives, 218

Sun Microsystems, StarOffice, 191

SuSE Personal, downloading, 9

SuSE Professional, downloading, 9

symbolic links, 136

System Logs viewer, 228–229

System Monitor, 112–113

System Monitor Preferences dialog, 127, 128

System Tools, samba client, 40

## T

Taskbar, 113

technical support, myths, 7

Text Editor, 123

text editors, 187–188, 327

thermometer bar, 44–45, 49

thumbnail viewer, 252, 253–254

tilde (~), referencing logged-in user’s home directory, 322

time tracker, KArm, 221–222

time zone selection, 37

title bar, command windows, 312

TLPD (The Linux Documentation Project), 95

/tmp folder, 144



Toolbox menu, capturing screen shots,  
248–249

Tools menu, gedit, 190

Track Editor, 259

tracks, adding to playlist, 267

tree structure, 138–139

troubleshooting

    Fedora Core menus, 126

    menus, 126

    printers, 281

## U

Uncompressed tar archive, 214

Universal Coordinated Time, 131

Unix-style editors, 188, 328

up2date. *See also* yum

    configuration, 70–71, 76

    directory structure, 79

    launching, 80–90

    local mirror, 77–80

    Packages Flagged to be Skipped screen, 83

**uptime** command, 326

USB port, 233–234

user account, 52–53

USER environment variable, 320

User Manager dialog, 300–301

Username text box, 56–57

users, passwords, 298–303

/usr folder, 144

utilities, finding with **whereis** command, 324

## V

/var folder, 144

VCR controls, 269, 271

vi text editor, 328, 329–330

video package, 40, 273–274

View menu, XSane, 288–290

virus scanners

    downloading and installing, 304–306

    F-Prot, 304, 307

    testing and running, 306–307

Visualization menu, XMMS, 270

## W

WAV file extension, 260

Wave files, 260

Weather Preferences dialog, 120–121

Weather Report applet, 132–133

Web archive, 214

Web browsers

    Konqueror, 150–154, 156, 184–185

    Mozilla, 180–184

    network connections and, 163

Welcome screen, Fedora Core, 29–30, 49–50

**whatis** command, 324

**whereis** command, 324

**which** command, 324

whitepapers, printing with Linux, 279

**who** command, 325

**whoami** command, 325

WinAmp compatibility, 272

window managers, 107–108

Window menu, 111–112

Window Preferences dialog, 111–112

Windows operating system

    accessing files, 161

    editors, 187

    file associations, 154–160

    migration of data to Linux, 160–161

    opening Linux files, 161

WINE program, Crossover Office, 6

WinZip archives, 214, 218

WMA file extension, 260

WMV file format, 273

Workspace Switcher, 112–113

Writing CD dialogs, 293

## X

X-CD Roast, 291. *See also* Nautilus

X Window System

    advantages, 107–108

    restarting, 109–110

Ximian, Evolution, 168–174

xine multimedia player, 273

XMMS, 268–273

xpdf, PDF viewer, 223–224

XSane scanning software, 284–290

## Y

yarrow-i386 files, 14

yum. *See also* up2date

yum (Yellow Dog Updater, Modified), 71

## Z

Zoom In menu, 251