

Index

Note that you can download the PDF file for this book from www.hentzenwerke.com (see the section “How to download files” at the beginning of this book). The PDF is completely searchable and will provide additional keyword lookup capabilities not practical in an index.

Special Characters

- * (asterisk), specifying font sizes, 242
- \$ (dollar sign)
 - for absolute reference, 125
 - cell formats, 130
- = (equal sign), entering formulas in Calc, 124–125
- 3D areas graph, 167
- 3D bars graph, 167
- 3D columns graph, 167
- 3D lines graph, 167
- 3D View dialog, 182

A

- absolute reference, 125
- Accept or Reject dialog, 40–41
- Accept with drop-down list, 71
- Add/Remove Programs applet, 16
- Add Tables dialog, 260
- Address Data Source AutoPilot, 49
- Addresses data source, 110, 253
- Adobe Acrobat, 91–92
- Advanced Options dialog, Paper Size, 116
- after-effects, 201, 202
- aggregation, of subtotals, 150
- alignment
 - graphics, 98
 - margins, 83
 - table columns, 100–102
 - text, 81
- Alignment button, 232
- All Axis Grids dialog, 176–177
- Allow blanks check box, 151
- Allow drop-down list, 151, 154
- alphabetic characters, in fields, 255
- AND conditions
 - combining conditions with, 263
 - in pivot tables, 160
 - in records, 258
- Andrew’s Macro Document, 291, 295
- angle brackets, indicating mail merge documents, 111
- Animation Effects button, 201

- animation, text, 224
- Append space, 71
- Apply Filter button, 112
- Arabic numbers, for page numbers, 94, 95
- Area dialog, 222
- Area tab, Data Series dialog, 178–179
- areas graph, 167
- arguments page, in Functions AutoPilot, 126–127
- Arrange toolbar, 227
- artwork, 295. *See also* graphics
- Assign button, 199
- asterisk (*), specifying font sizes, {
 - attributes
 - fonts, 242
 - text, 223
- Attributes button, 39
- AutoCorrect dialog, 41–46, 71, 72
- AutoFilter option, 148
- AutoFormat Chart dialog, 163, 164, 170
- Automatic Effects button, 201
- Automatic Transition button, 199, 200
- AutoPilot Combo Box, 278, 279
- AutoPilot controls, 282
- AutoPilot Group Element, 277
- AutoPilot menu, 48–49, 60
- AutoPilots On/Off button, 276–278, 277
- AutoSpellcheck, 47–48
- Available buttons list, 287
- AVERAGE(), 128, 158
- axes, in graphs, 164, 174–176
- Axes Title On/Off button, 172
- Axis dialog, 174–175, 176
- axis title, graph, 170–171

B

- background color
 - in drawings, 230
 - for graphs, 177–178
 - for tables, 107–108
- Background color property, 276
- bars graph, 167
- Basic fonts page, 70
- BASIC Macros, 287

Bibliography data source, 253
binding edge, 83
borders
 for graph titles, 171
 for tables, 104–105
boundary conditions, formulas, 239–240
Breaks section, Text Flow tab of Paragraph
 Style dialog, 248
bullet symbols, 85
bulleted lists, 83–86
Bullets On/Off button, 83
buttons
 with arrows, 35–36
 creating data entry forms, 264–266
 definition, 6
 Function toolbar, 68
 Visible Buttons, 31–33

C

Calc. *See also* data manipulation
 automatic correction and formatting
 options, 42–46
 cell formats, 130–132
 centering a heading above multiple columns,
 136–137
 changing the number of worksheets, 138–139
 column widths, 135–136
 comments, 41
 conditional formatting, 133–135
 copying or moving cell contents, 137
 creating new spreadsheets, 123
 currency converter, 49
 drawings, 232
 editing data, 123
 entering a series of numbers, 123–124
 entering data, 123
 features, 121–123
 file extension, 22
 format codes, 131
 formulas, 122, 124–128
 navigating, 36, 37
 opening, 121
 previewing output, 142
 printing spreadsheets, 139–142
 registered data sources, 271
 revision marks, 39–41
 Search for Styles check box, 39
 styles, 53
 switching rows and columns, 137–138
 text orientation, 132–133
CD-ROM Project page, 9–11

Cell Attributes dialog, 130–131
cell formats, setting, 130–132
cell style, 53
Change Style to Invisible check box, 174
Character button, for bullet symbols, 85
Character dialog, 73, 75–76, 224
Character set property, 276
character sets, specifying, 146
character style, 53
characters
 anchoring graphics, 98
 formatting, 73, 75–76
 nonprinting, 81
Characters tab, 175, 180
chart area, 177
Chart Area dialog, 177–178
chart floor, 177
Chart Floor dialog, 178–179
Chart Type dialog, 169, 170
 chart wall, 177
Chart Wall dialog, 177, 178–179
ChartDocument service, 290
charts. *See also* graphs
 stacked bar chart, 166
 stock chart, 167
 XY chart, 167
Check Box control, 275
checkboxes, 6
clip art, 197–198. *See also* graphics
code page, 144
Collect words check box, 71
colors
 background color
 in drawings, 230
 in graphs, 177–178
 in tables, 107–108
 in charts, 178
 data colors in graphs, 178–179
 of objects, 222
 option buttons, 276–278
 in presentations, 201
 selecting, 222–223
 text, 223
column letters, Calc, 123
Column Optimal Width shortcut menu, 135–136
Column Width dialog, 101–102, 135–136
column widths
 in Calc, 135–136
 in tables, 100–102
columns
 adding, 105–108
 behavior, 102

- graph, 167
 - in graphs, 165
 - setting, 101
 - switching with rows, 137–138
- Columns tab, 106
- combining fields, 157
- Combo Box control, 275
- combo boxes, 278–280
- Comma check box, 144
- Command window, Math, 236–238
- Commands drop-down list, 63
- comments, in Calc, 41
- comparing documents, 42
- computing totals and subtotals, 150–151
- Conditional Formatting dialog, 134
- Configuration dialog, 30, 287
- configuring OpenOffice.org, 27–29
- Connector button, 198
- Content drop-down list, 282
- Contents check box, Printer Options dialog, 195
- Convert dialog, 228
- converted files, 25–26, 49
- Copy sort results to check box, 147
- copying
 - cell contents, 137
 - styles, 62–63
 - value of cell, 137
- correction options, 42–46
- Create Style dialog, 58–59
- Criteria tab, 151–152, 154
- Criterion section, 261–263
- CSV (comma-separated value), 144
- curly quotes, 45
- currency converter, 49
- Currency Field control, 275
- cursors, 5
- curves, in drawings, 228–229
- custom error message, 153
- custom fonts, 241
- Custom installation, 12, 16–17
- custom keystrokes, 29–31
- Custom Quotes page, 45, 46
- custom shapes, 229
- Custom Slide Shows dialog, 205
- Customize Buttons dialog, 33
- Customize Toolbars dialog, 33, 287
- customized forms, 273–274

D

- data. *See also* inserting data
 - associating with fields, 283
 - filtering, 147–148, 160–161
 - importing, 143–144
 - inserting, 93–94, 109–117
 - sorting, 146–147, 257
 - subsets, 260
- data colors, in graphs, 178–179
- data entry forms, creating, 264–266, 273–274
- Data Field dialog, 158
- data items, displaying values for, 179–180
- data management, OOO limitations, 253
- data manipulation. *See also* Calc; imported data
 - computing totals and subtotals for groups of records, 150–151
 - pivot tables
 - creating, 154–159
 - manipulating, 159–161
 - restricting data to valid values, 151
- Data Point dialog, 180
- Data Series dialog, 178–179, 180
- Data Source Administration dialog
 - definition, 253
 - features, 253–254
 - for mail merge documents, 110, 112
- Data Source view window, 111
- data sources. *See also* forms
 - adding data to, 256–257
 - attaching to forms, 282–283
 - creating, 255–257
 - defining subsets, 260
 - definition, 253
 - filtering, 261–263
 - for mail merge, 110
 - modifying, 257
 - queries, 260–261
 - registered, 271
- Data Sources dialog, 148
- Data Sources view window, 110
- Data Sources window
 - adding data to, 257
 - controls, 265
 - filtering data, 258
 - Links section, 271
 - for mail merge, 112, 113
 - viewing available data sources, 256
- Data tab, 282
- data types, 110
- database bar, 257
- database, definition, 143

- Database Field page, 278, 280
 - database tables, 143
 - DataPilot, 155, 156
 - date and time, inserting, 93–94
 - Date and Time option, 196
 - Date Field control, 275
 - dates, stored as numeric values, 131
 - dBase data, importing, 144
 - dBase database, 255
 - decimal fields, 255
 - decimal tabs, 80
 - decompressing files, 11
 - Default Filter button, 112, 258
 - Default Filter dialog, 258
 - Default style, 54
 - Default Value check box, 135–136
 - Default value property, 276
 - Define Custom Slide Show dialog, 205
 - Define Names dialog, 128–129
 - Delete Record button, 265
 - depth, of objects, 227
 - Design Mode On/Off button, 284
 - Desktop service, 290
 - diagrams. *See* Draw
 - dialog boxes, 5
 - dictionaries, with the Spelling engine, 48
 - dictionary download page, 294–295
 - Display check box, 173
 - Do not split paragraph check box, 79
 - Do not split table check box, 103
 - docking
 - Navigator and Stylist, 34
 - toolbars, 33–35
 - Document Converter, 49
 - documents. *See also* Calc; Draw; HTML Editor; Impress; master documents; styles; templates; Writer
 - adding formulas to, 243–244
 - automatic correction and formatting options, 42–46
 - comparing, 42
 - converting, 49
 - creating, 69, 269
 - defaults
 - behavior, 69
 - folder, 22
 - save formats, 25
 - definition, 5
 - formatting text, 72–75
 - incorporating into master documents, 250
 - macros available, 288
 - OO Extras, 295
 - PDF format, 91–92
 - printing, 89–91
 - sharing, 40
 - statistical information, 88–89
 - storing macros, 286
 - tracking changes, 39–41
 - Documents and Settings hierarchy, 16
 - dollar sign (\$)
 - for absolute reference, 125
 - cell formats, 130
 - Download Central page, 9–11
 - downloading
 - OpenOffice.org, 9–10
 - themes, 49
 - Drag Mode, 38
 - Draw
 - components, 218–220, 221
 - creating drawings, 218
 - editing objects, 221
 - features, 217–218, 229–232
 - file extension, 22
 - Graphics Styles, 221–222
 - styles, 53, 56
 - Draw Object bar, 187
 - drawing package. *See* HTML Editor
 - Drawing View, 187, 189, 197, 201, 203
 - DrawingDocument service, 290
 - drawings. *See also* Draw; graphics
 - adding to presentations, 198
 - exporting, 233
 - file extensions, 233
 - drop-down lists, 6
 - Drop-down property, 281
 - During System Start-Up check box, 18
- ## E
- e-mail link, specifying, 215
 - Edit Chart Type button, 169
 - Edit Comment button, 131
 - Edit Data button, 257
 - Edit Modules page, 48
 - Edit Points button, 228
 - editing
 - chart colors, 178–179
 - editing Calc spreadsheet, 123
 - formatting for presentations, 206–207
 - formulas, 244
 - graphs, 168–180
 - HTML Editor, 213
 - macros, 289
 - master documents, 249–250

- objects, 228
 - styles, 57–59
 - sub-documents, 249
 - tables, 99
 - templates, 62
 - text, 221
 - using revision marks, 39–41
 - Effects drop-down list, 201
 - Effects window, 201, 202
 - empty records, 257
 - Enable check box, 95
 - Enabled property, 276
 - Envelope dialog, 113–114
 - envelopes, 82, 113–117
 - equal sign (=), entering formulas in Calc, 124–125
 - Error Alert tab, 152–153
 - Euro Converter, 49
 - events, 283–284
 - Events tab, 284
 - Existing slides button, 205–206
 - Export as PDF dialog, 91–92
 - exporting drawings, 233
 - External Data dialog, 145
 - extracting files, 10
 - Extras page, 199, 201
 - eyeballing column widths, 100
- F**
- Fade Object with Color button, 201
 - FAQ's (frequently asked questions), 294
 - Favorites category, 200
 - Favorites group, 199
 - Field drop-down list, 260
 - Field Link page, 281
 - Field Selection page, 280
 - fields. *See also* records
 - associating data with, 283
 - combining, 157
 - computing totals, 155
 - in data entry forms, 264–266
 - in data sources, 255
 - in database tables, 143
 - for mail merge documents, 110
 - in pivot tables, 157
 - removing, 267
 - searching, 259
 - sorting, 257, 269
 - special characters in, 267
 - types of, 256
 - with unique values, 147–148
 - Fields window, 93–94. *See also* inserting data
 - file conversion, 25–26
 - file extensions
 - for drawings, 233
 - for imported text or dBase data, 144
 - for OpenOffice.org applications, 22
 - for templates, 60
 - for Writer documents, 265
 - File-Open dialog, 185
 - File option button, for mail merge documents, 112
 - File Selection control, 275
 - file storage, 21–23
 - filename, inserting, 94
 - files. *See also* documents
 - decompressing, 11
 - extracting, 10
 - graphics, 49–51
 - reading, 23
 - sharing, 24–25
 - sound files, 51
 - fill character, 80–81
 - Filter dialog, 112, 160
 - Filter page, 41
 - filtering
 - data, 147–148, 160–161
 - data sources, 261–263
 - records, 258
 - filters, operators in, 262
 - Find & Replace dialog, 38–39
 - Find Record button, 259
 - finding
 - records, 258
 - tabs, 39
 - First line setting, 77
 - First Page style, 96, 248
 - Fit to size check box, 102
 - fixed setting, table columns, 101
 - fixed text, 273–274
 - focus
 - for cells in ranges, 153
 - definition, 5
 - folders
 - creating, 13
 - default for documents, 22
 - for templates, 63
 - font attributes, specifying, 39
 - Font Effects tab, 175, 180
 - fonts
 - custom, 241
 - default, 70–71
 - in Draw, 223–224
 - in Math, 240–241
 - resetting defaults, 70

- selecting, 70
- sizes, 241–242
- Fonts dialog, 240–241
- Fonts Sizes dialog, 241–242
- footers. *See* page headers and footers
- Form AutoPilot, 49, 264–266, 273–274
- Form Functions toolbar, 273–274, 282, 284
- Form Letter dialog, 111, 112, 113
- Form Properties dialog, 282, 283
- Format button, 39
- Format Cells dialog, 133, 174
- format codes, 131
- Format drop-down list, 82
- Format menu
 - changing axes, 174
 - editing styles, 57
 - Graphics dialog, 97–98
 - Number/Bullets dialog, 83–84
 - printing options, 140
 - styles, 55
- Formatted Field control, 275
- formatting data, 129–130
- formatting images, 199
- formatting options, 42–46. *See also* styles; Stylist
- formatting text, 72–75
- forms. *See also* data sources
 - controls
 - available, 274–275
 - events associated with, 283–284
 - options, 284–285
 - creating, 265
 - customized, 273–274, 276–282
 - for data entry, 273–274
 - data entry forms, 264–266
 - passwords, 284
- Formula Bar
 - Calc, 122
 - editing Calc spreadsheet, 123
- formula editor. *See* Math
- FormulaProperties service, 290
- formulas. *See also* Calc; Formula Bar; Math
 - adding to documents, 243–244
 - creating, 235
 - editing, 244
 - extra space in, 243
 - macros in, 286
 - in Math, 235
 - operands, 238
 - specifying, 236–240
 - in spreadsheets, 122, 124–128, 129
- frame style, 53
- Free Software, 3

- From Template check box, 121, 185
- front matter, 247
- Function toolbar
 - buttons, 68
 - Calc, 122–123
 - Export Directly as PDF button, 92
 - features, 187
 - Gallery button, 197–198
 - HTML Editor, 212
 - in IDE, 289
 - New button, 35, 61
 - opening Impress, 185
 - PDF button, 91–92
 - Stylist button, 54
- functions
 - applied to fields in pivot tables, 158
 - in formulas, 125–128
 - specifying ranges and multiple values for, 128
- Functions AutoPilot, 126–127
- fx (function button), 127–128

G

- Gallery, 49–51, 197–198, 229
- global spacing, Math, 242–243
- grammar, checking, 47–48
- graph titles, turning off, 172
- graphics
 - adding, 97–98
 - adding to presentations, 197
 - anchoring, 97–98
 - organizing, 49–51
 - style, 53
- Graphics dialog, 97–98
- Graphics style, 98
- Graphics Styles, 221–222
- Graphics tab, 83
- graphs. *See also* Calc
 - changing
 - axes, 174–176
 - axis title, 170–171
 - background color, 177–178
 - data colors, 178–179
 - grid lines, 176–177
 - legends, 172–174
 - main title, 170–171
 - size, 168, 169
 - strategies, 168–169
 - text for multiple titles, 171–172
 - type, 169–170
 - creating, 163–166
 - displaying values for data items, 179–180

- previewing, 164
 - rotating, 180–182
 - types of, 165, 167
- green check mark (accept), 123
- green sizing handles, 169
- grid lines, 164, 176–177, 229, 230–231
- Grid page, 229
- Grids dialog, 176
- Group Box control, 275, 277
- Group by drop-down list, 150
- grouping data, 150–151
- Grouping page, 268
- groups, of option buttons, 276–278

H

- Handout View, 187, 195
- headers. *See* page headers and footers
- heading styles, 109
- Height spinner, 82
- Help agent, 47
- Help system, 293–294
- Help text property, 276
- highlighting text, 5
- horizontal grid lines, 176, 230
- Horizontal ruler check box, 70
- horizontal rulers, 187
- HTML Editor. *See also* Writer
 - editing options, 213
 - features, 211–212
 - hyperlinks, 213–215
 - navigating, 37
 - search and replace function, 39
 - starting, 211
 - styles, 53
- HTML Source, 213
- hyperlinks, 213–215
- hyphenation rules, 48

I

- Icons button, 287
- icons, types of, 7
- IDE, displaying Macro dialog, 288
- Image Button control, 275
- Image Control, 275
- images, formatting, 199. *See also* graphics
- importing data
 - from a database, 144
 - limiting the data displayed, 147–150
 - sorting and, 146
 - into spreadsheets, 143–144
- Impress

- drawing buttons, 198
- drawings, 232
- features, 185–187
- file extension, 22
- Live Mode, 206
- navigating, 36
- opening, 185
- Outline View, 190–192
- presentations
 - adding notes to, 192
 - controlling appearance of, 203
 - creating, 187
 - printing, 194–196
 - running, 193
 - templates, 60, 188–189
 - transition effects, 199–200, 201
- slides
 - creating, 187–188
 - showing selective, 205–206
 - viewing, 189–192, 190–191
 - speaker's notes, 204–205
 - styles, 53, 204
- indentation, 77–78
- Indents & Spacing tab, 78
- Input Help tab, 153–154
- Insert as Hyperlink setting, 38
- Insert Graphics dialog, 198
- Insert Object button, Main toolbar, 163
- Insert OLE Object dialog, 243–244
- Insert Points button, 228
- Insert Section dialog, 106–107
- Insert Slide dialog, 188
- Insert Snap Point/Line dialog, 231
- Insert Table dialog, 99
- inserting data
 - date and time, 93–94
 - envelopes, 113–117
 - mail merge documents, 109–113
 - page numbers, 94
 - path and filename, 94
- installing OpenOffice.org, 11–15, 295
- invalid values, `52
- irregular tables, 103–104

J

- Java Setup page, 14

K

- keyboard cursor, 5
- Keyboard page, 30

keyboard shortcuts
 creating, 29–31
 predefined, 76
 for styles, 56
 for subscripts and superscripts, 76
 viewing fields, 94

L

Label field control, 275
Label field property, 276
Label property, 276
Label tab, 175
labels, adding to graphs, 164
Language Settings, 48
layout
 pages, 82–83
 reports, 270
 Writer, 68
leading, before paragraphs, 78
left-aligned text, 81
left margin, 83
Left to right sorting, 147
Legend dialog, 172
Legend On/Off button, 173
legends, in graphs
 adding, 164, 165
 changing, 172–174
Length text box, 256
light bulb window, 46–47
Line Arrangement option buttons, 104
Line Color drop-down list, 222–223
Line dialog, 223
line styles, for tables, 104
Line tab, 174
lines, around objects, 222–223
lines graph, 167
Linked With drop-down list, 58
Links section, 271
Links, updating in sub-documents, 249
Linux
 downloading OpenOffice.org, 10
 installing OpenOffice.org, 11–15
List Box control, 275
list boxes, 6, 280–282
List page, 41
lists. *See also* margin settings
 bulleted, 83–86
 within lists, 84–85
 numbered, 86–88
Live Mode, Impress, 206
local installation, 15

M

Macro dialog, 285–286, 288, 289
macro language, 287
macros
 applying styles, 56
 assigning keystrokes to, 287
 creating, 285–286, 287
 editing, 289
 running, 286–287
Mail and News dialog, 215
mail merge, 109–113
main title, graph, 170–171
Main toolbar
 Alignment button, 232
 Automatic Effects button, 201
 Calc, 123
 Connector button, 198
 Draw components, 218–220
 drawing choices, 203
 Edit Chart Type button, 169
 features, 68
 HTML Editor, 212
 HTML Source, 213
 Impress, 187
 Insert Object button, 163
 Legend On/Off button, 173
 Outline View, 190–192
 Show Form Functions button, 273
 Show/Hide Axis Description(s) button, 176
 Text button, 198
 Text objects, 220–221
manipulating data. *See* data manipulation
manual page breaks, 95
Manual Transition, 200
margin settings, 77–78, 82–83. *See also* lists
master documents. *See also* sub-documents
 adding sub-documents to, 246–247
 adding text in between or after sub-documents,
 247–248
 considerations, 245–246
 creating, 246
 editing, 249–250
 features, 245
 file extension, 22
 front matter, 247
 headers and footers, 247
 incorporating existing documents, 250
 styles, 250
 Text section, 249
Master View, 203
Math

- features, 235
- file extension, 22
- fonts, 240–241
- opening, 235
- Selection window, 236–238
- spacing between elements, 242–243

Memory page, 19, 39

merging table cells, 103

Microsoft Office, 4

Min. word length spinner, 71

Minimum installation, 12

Mirrored for Page layout, 83

Modify button, 287

Modify Data Range dialog, 170

Modify Slide Layout dialog, 189

More button, on Standard Filter dialog, 150

mouse cursor, 5

Move Down buttons, 287

Move Points button, 228

Move Up buttons, 287

moving

- formulas, 244
- graph titles, 171
- graphs, 169
- templates, 63
- toolbars, 33–35
- worksheets within a workbook, 139

multiple queries, 260

multiple users, 14–15

N

Name property, 276

naming

- fields, 110
- libraries and modules, 288
- macros, 285
- ranges, 128–129
- tables, 99
- worksheets, 139

Nautilus graphical shell file manager, 11

Navigator. *See also* master documents; Stylist; Writer

- displaying slides, 196
- docking, 34
- features, 36–38
- with Impress, 185–186
- sub-document features, 247
- Text section, 247
- toggle button, 37, 246
- Update button, 249
- viewing headings, 108–109

- visible in Slide Show dialog, 206

Negative numbers red check box, 133

net graph, 167

networks, installing OpenOffice.org, 14–15

New Data Source, 253

New Record button, 265

New Snap Object dialog, 231

New Table Design button, 255

newspaper-style columns, 105

Next Record button, 265

Next Style drop-down list, 58, 96

non-breaking spaces, 76

nonprinting characters, 81

Notes View, Impress, 192

Number/Bullets dialog, 83–84

numbered lists, 86–88

numbered paragraphs, 86

Numbering/Bullets dialog, 85, 86

numbering formats, 85

Numbering On/Off button, 86

numbering style, 53

Numbering type tab, 86

numeric format, 130

numeric values, entering, 6

Numerical Field control, 275

O

Object Invisible button, 201

object model, 290–291

Object Properties dialog, 171, 172, 178

objects. *See also* Draw

- adding to drawings, 221
- colors, 222
- creating, 291
- depth, 227
- editing, 228
- lines around, 222–223
- overlapping, 226–227
- rotating, 225–226
- Text objects, 220–221

OLE Object dialog, 232

online help, 294

Online Layout view, 96

OOo (OpenOffice.org). *See also* documents

- automating, 291–292
- AutoPilot menu, 48–49
- availability, 4
- BASIC Macros, 287
- changing installation options, 16–17
- components, 17–18
- configuring, 27–29

- considerations, 4
- data types, 110
- definition, 3
- downloading, 9
- features, 3–4
- file conversion, 25–26
- file extensions, 22
- file storage, 21–23
- Gallery, 49–51
- historical perspectives, 3
- installing, 11–15, 295
- interface, 27
- newsgroups, 294
- object model, 290–291
- online help, 294
- QuickStarter, 18–19
- reading files, 23
- reinstalling, 17
- removing, 17
- resources, 293–295
- settings, 26
- sharing files, 24–25
- template extensions, 22
- uninstalling, 25–26
- versions, 5

Open dialog, 23, 60

Open source software, 3

operands, specifying, 238

operators

- adding to formulas, 237–238
- boundary conditions, 239–240
- in filters, 262

Option Button control, 275

option buttons, creating, 276–278

option groups, 6

Options button, 90

Options dialog

- background color, 107–108
- changing fonts, 70
- Draw dialog, 217
- Drawing section, 229
- Load/Save section, 25
- Memory page, 19, 39
- Paths page, 21
- QuickStarter, 18–19
- rows/columns behavior, 102
- setting column widths, 101
- Spreadsheet section, 141
- Text Document section, 70, 71
- working environment settings, 27–29
- Writer section, 70–71

Options tab

- bullet symbols, 85
- sorting data, 146–147

OR conditions

- combining conditions with, 263
- in pivot tables, 160
- in records, 258

Order page, Effects window, 202

Order property, 276

Organizer page, 58

Orientation option buttons, 82

orphans, 78–79

Outline Numbering dialog, 108

Outline tab, 85

Outline View, Impress, 190–192

Output section, Form Letter dialog, 112

overlapping objects, 226–227

P

Page and Position drop-down list, 248

page breaks

- in Calc, 141
- controlling, 103
- manual, 95

Page breaks check box, 141

Page Format dialog, 105

page headers and footers

- adding, 95–96
- for Calc output, 140–141
- changing, 97
- for master documents, 247

Page name check box, 196

page numbers, 94–95

page style, 53

Page Style dialog, 81–83, 95–96, 106, 140

pages

- adding, 95
- formatting, 74–75, 81–82
- layout, 82–83
- printing, 90

paper

- for envelopes, 114
- size and orientation, 81–82

Paper Size, Advanced Options dialog, 116

paragraph breaks, 39

Paragraph dialog

- alignment, 81
- indentation, 77–78
- opening, 73–74
- page numbers and, 95
- tabs, 80

- paragraph style, 53
 - Paragraph Style dialog, 57, 248
 - Paragraph Style drop-down list, 109
 - paragraphs. *See also* lists; margin settings
 - aligning, 81
 - formatting, 73
 - indentation, 77–78
 - numbered, 86
 - positioning, 78–79
 - styles, 75
 - white space between, 78
 - parallel columns, 105
 - passwords, for forms, 284
 - path, inserting, 94
 - Paths page, 21–23
 - Pattern Field control, 275
 - PDF format, 91–92
 - PDF Options dialog, 92
 - pentagons, 228
 - pictures. *See* graphics
 - pies graph, 167
 - Pitonyak, Andrew, 291, 295
 - Pivot point settings, 226
 - pivot tables
 - creating, 154–159
 - fields, 157
 - manipulating, 159–161
 - placeholders, for mail merge documents, 110
 - polygons, 228
 - Position and Size dialog, 169, 182, 226
 - Position drop-down list, 95
 - Position option buttons, 173
 - Position tab, Legend dialog, 173
 - predefined formats, 131
 - predefined keyboard shortcuts, 76
 - predefined styles, 54
 - Presentation AutoPilot, 60, 185–187
 - presentation package. *See* Impress
 - presentation style, 53
 - Presentation toolbar, 187, 188, 189
 - PresentationDocument service, 290
 - previewing output, Calc, 142
 - Print dialog, 89, 195
 - Print Style dialog, 140
 - Printer Options dialog, 90–91, 194–196
 - Printer Setup dialog, 115
 - Printer tab, Envelope dialog, 116
 - printing
 - envelopes, 114–117
 - presentations, 194–196
 - spreadsheets, 139–142
 - printing documents, 89–91
 - program code, availability, 3
 - Properties button, 115
 - Properties dialog, 88–89, 275, 276
 - punctuation
 - in numbered lists, 86
 - spaces, 71
 - Push Button control, 275
- ## Q
- queries
 - data sources, 260–261
 - for mail merge documents, 113
 - multiple, 260
 - sorting results, 263
 - viewing results, 263
 - Query Designer, 260, 261, 263–264
 - QuickStarter
 - creating new documents, 61
 - features, 18–19
 - for Impress, 185
 - From Template check box, 59–60
 - for Writer, 67
 - quotation marks
 - automatic correction, 43
 - customizing, 45
- ## R
- ranges
 - in charts, 164
 - naming, 128–129
 - printing, 141
 - specifying, 128
 - reading files, 23
 - rearranging data in pivot tables, 160
 - Record Search dialog, 259
 - records. *See also* fields
 - empty, 257
 - filtering, 258
 - finding, 258
 - limiting in mail merges, 112–113
 - managing, 265
 - rectangles, 228
 - rectangles, drawing, 219
 - red "X" (cancel), 123
 - Reference edge option button, 133
 - registered data sources, 271
 - Regular expressions check box, 39
 - reinstalling OpenOffice.org, 17
 - relative reference, 125
 - Remove Filter/Sort button, 112, 257
 - Remove option, 17

- removing OpenOffice.org, 17, 25–26
- Repeat heading check box, 103
- Replace page, 43
- Report AutoPilot, 267, 268, 270, 271
- resizing
 - columns, 101–102
 - graphs, 169
 - text, 223
- Resolution settings, 229
- restoring normal printing, 141
- Reverse toolbar, 227
- revision marks, 39–41
- right-aligned text, 81
- right margin, 83
- Roman numerals, for page numbers, 94, 95
- rotating
 - 3D graphs, 180–182
 - objects, 225–226
- rotation angles, in Calc, 133
- Rotation tab, Position and Size dialog, 182
- row numbers, Calc, 123
- rows
 - behavior, 102
 - in graphs, 165
 - setting, 101
 - switching with columns, 137–138
- Ruler, 70, 71, 101–102
- S**
- Save As dialog, 24
- Save button, 260
- Save Record button, 265
- saving
 - mail merge documents, 111
 - XML files, 26
- Scale tab, 174–175
- search and replace function, 38–39
- Search for Styles check box, 39
- search strings, 39
- sections, inserting, 106–107
- Select Data Source dialog, 155
- Select Installation Directory page, 12–13
- Select Installation Type page, 12
- Select Source dialog, 155
- Select With Page Style, 248
- Selected slides button, 205–206
- Selection window, Math, 236–238
- Semiautomatic Transition, 200
- Set as Default Template, 62
- setup program, 11–15
- shapes, creating, 228–229. *See also* objects
- sharing files, 24–25, 40
- shortcut files, 16
- shortcut menus, 5
- Show as tip check box, 71
- Show error message check box, 151
- Show Form Functions button, 273
- Show/Hide Axis Description(s) button, 176
- Slant & Corner Radius Tab, 226
- Slide Show dialog, 193, 201, 205
- Slide Transition window, 199
- Slide View dialog, 189–192, 199
- slides
 - creating, 187–188
 - displaying, 196
 - modifying, 189
 - timing of items, 201
 - viewing, 189–192
- Smart Quotes. *See* Custom Quotes page
- snaking columns, 105
- snap lines, 230–231
- SOffice.EXE, 18
- software, definition, 3
- Sort Ascending option, 113, 257
- Sort Descending option, 113, 257
- Sort dialog, 147
- Sort Order button, 257
- Sort Order dialog, 113, 257
- sorting
 - fields, 269
 - imported data, 146
 - merge results, 113
 - query results, 263
- Sound check box, 202
- sound files
 - adding, 51
 - Favorites category, 200
- Space Equally option, 102
- spaces
 - after words in Writer, 71
 - non-breaking, 76
 - between paragraphs, 78
- Spacing dialog, 242–243
- speaker's notes, 204–205
- special characters
 - in fields and reports, 267
 - in format codes, 131
 - in macro names, 288
 - in operators, 262
- Spellcheck dialog, 47–48
- spinners, 6
- splitting table cells, 103
- Spreadsheet Object Bar, 122

- SpreadsheetDocument service, 290
 - spreadsheets. *See also* Calc; data management;
 - graphs; imported data
 - comparing, 42
 - creating, 123
 - creating database tables, 143
 - example, 149
 - importing data into, 143–146
 - macros in, 286
 - printing, 139–142
 - SQL commands, 283
 - stacked bar chart, 166
 - Standard Filter dialog, 148
 - Standard installation, 12
 - StarDesktop, 291
 - StarDivision, 3
 - StarOffice, 3, 49
 - Start Copying page, 13, 15
 - statistical information, 88–89
 - status bar, 88–89
 - stock chart, 167
 - straight quotes, 45
 - Style Catalog dialog, 55–56, 57, 58
 - Style dialog, 58
 - styles. *See also* templates
 - applying, 55
 - copying, 62–63
 - creating, 58
 - definition, 53
 - editing, 57–59
 - formatting, 75
 - graphics, 98
 - headings, 109
 - Impress, 53, 204
 - managing, 62
 - for master documents, 248–249, 250
 - matching data values to, 134
 - predefined, 54
 - types of, 53–54
 - Stylist. *See also* master documents
 - docking, 34
 - editing styles, 57
 - features, 54–55
 - with Impress, 185–186
 - shortcuts for creating and editing styles, 58–59
 - sub-documents
 - adding to master documents, 246–247
 - editing, 249
 - inserting in master documents, 247–248
 - starting on a new page, 248–249
 - Subdivision section, 229
 - subscripts, 75–76
 - subsets, of data sources, 260
 - subtotals, computing for groups of records, 150–151
 - Subtotals dialog, 150, 151
 - SUM(), 125, 128
 - Sun Microsystems, acquisition of StarDivision, 3
 - superscripts, 75–76
 - symbols, for bullets, 85
- ## T
- Table Contents style, 99
 - Table Control, 275, 282
 - Table Designer, 255
 - Table Element AutoPilot, 282
 - Table Format dialog, 100, 104–105
 - Table page, Text Document section, 101
 - Table Selection page, 278–279
 - tables
 - adding, 99
 - borders, 104–105
 - column widths, 100–102
 - data for list boxes, 280–281
 - irregular, 103–104
 - multiple columns, 105–108
 - multiple heading rows, 104
 - naming, 99
 - row height, 102
 - section format, 107–108
 - Tables page, 254
 - Tables tab, 253–254
 - tabs
 - Calc, 123
 - finding, 39
 - setting, 80
 - Tabstop property, 276
 - Template and Documents dialog, 59–60
 - Template Management dialog, 61–62
 - templates. *See also* styles
 - changing, 61–62
 - compatibility, 60
 - creating, 61, 269
 - definition, 59
 - editing, 62
 - file extensions, 22
 - Impress, 185, 188–189
 - macros available, 288
 - managing, 62
 - for master documents, 248–249
 - moving, 63
 - OO Extras, 295
 - selecting, 22, 59–60
 - storing macros, 286

Templates and Documents dialog, 61

Templates dialog, 61

text

adding to diagrams, 220–221

editing, 221

fixed, 273–274

formatting, 72–75, 223–225

in graphs, 165

for titles in graphs, 171–172

for web pages, 212

wrapping, 98

text alignment, 81

Text Animation tab, 224

Text Box control, 275

Text button, 198

Text dialog, 225

Text Document section, 67, 70, 71, 101

text files, importing, 144

Text Flow tab, 78–79, 95, 103, 248

Text Format dialog, 39

Text Import dialog, 144, 145

Text Object toolbar

Bullets On/Off button, 83

controls, 68

HTML Editor, 212

Numbering On/Off button, 86

style list, 55

text orientation, 132–133

Text section, 249

Text section, Navigator, 247

Text tab, 224

Text textbox, 213

textbox control, 274

textboxes, 6

TextDocument service, 290

Theme Properties dialog, 50

themes, downloading, 49

thesaurus, 48

3D areas graph, 167

3D bars graph, 167

3D columns graph, 167

3D lines graph, 167

3D View dialog, 182

Time Field control, 275

timing, items on slides, 201

Title dialog, 171

Titles dialog, 172

Titles On/Off button, 172

toggle button

for gridlines in graphs, 176

for master documents, 246

tool tips, displaying, 40

toolbars

Calc, 122–123

customized, 31–33

definition, 6

Draw, 217, 219

HTML Editor, 212

macros, 287

moving, 33–35

submenus, 35–36

undocking, 33–35, 36

Toolbars tab, 287

tooltips, 6, 200

totals

computing for groups of records, 150–151

computing values of fields, 155

transferring web addresses, 214

transition effects, 199–200, 201

trapezoids, 228

Type drop-down list, 95, 248

U

Undo function, controlling, 39

undocking toolbars, 33–35, 36

uninstalling OpenOffice.org, 17, 25–26

Update button, 249

URLs, specifying, 214

User Data, 113

User-defined category, 131

V

Validity dialog, 151

Value drop-down list, 149

value text box, 134

values, 122, 128, 151. *See also* Formula Bar

variables, value of, 289–290

vertical grid lines, 176, 230

Vertical ruler check box, 70

vertical rulers, 187

view options, 69

View page, 70

Visible Buttons, 31–33

Visible check box, 263

Visible Grid, 229

W

Watch window, 289–290

web addresses, transferring, 214

Web Page AutoPilot, 49

web pages. *See also* HTML Editor

creating, 212

formatting, 212

- hyperlinks, 213–215
- widows, 78–79
- Width spinner, 82
- Windows
 - Add/Remove Programs applet, 16
 - installing OpenOffice.org, 11–15
- Windows Explorer, selecting templates, 60
- WinZip program, 10
- With Page Style, 95
- word completion feature, Writer, 71
- word processor. *See* Writer
- workbook. *See also* Calc; spreadsheets
 - changing number of worksheets in, 138–139
 - changing worksheet names, 139
 - documents, 121
 - moving worksheets, 139
- working environment settings, 27–29
- workstation installation, 15
- Writer. *See also* HTML Editor; inserting data;
 - pages; paragraphs
 - automatic correction and formatting options, 42–46
 - AutoPilots, 60
 - bulleted lists, 83–86
 - character formatting, 73, 75–76
 - creating forms, 265
 - drawings, 232
 - envelopes, 113–117
 - file extension, 22
 - indentation, 77–78
 - layout, 68
 - mail merge, 109–113
 - margin settings, 77–78, 82–83
 - navigating, 37
 - opening, 67
 - paper size and orientation, 81–82
 - registered data sources, 271
 - revision marks, 39–41
 - Ruler, 70, 71
 - search and replace function, 39
 - status bar, 69, 88–89
 - styles, 53
 - view options, 69
 - word completion feature, 71
- Writing Aids, 48
- WWW Browser button, 214
- WYSIWYG ("what you see is what you get"), 213

X

- X axis, 166
- XML files
 - format, 23
 - saving, 26
- XY chart, 167

Y

- yellow speech balloon, 131

Z

- Z order, 226
- ZIP format, 10, 23
- Zoom dialog, 69